Certification Regarding Lobbying

(To be submitted with each bid or offer exceeding $100,000)

The undersigned certifies, to the best of his or her knowledge and belief, that:

(a) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of an agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

(b) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

(c) The undersigned shall require that the language paragraph 1 and 2 of this anti-lobbying certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31, U.S.C. § 1352 (as amended by the Lobbying Disclosure Act of 1995).

The Contractor, Kraftsman LP, certifies or affirms the truthfulness and accuracy of each statement of its certification and disclosure, if any. In addition, the Contractor understands and agrees that the provisions of 31 U.S.C. § 3801 et seq., apply to this certification and disclosure, if any.

Signature of Contractor's Authorized Official

Kris Soderberg Vice President

Printed Name and Title of Contractor's Authorized Official

6/23/21

Date

Approved by OMB

0348-0046

Disclosure of Lobbying Activities
Complete this form to disclose lobbying activities pursuant to 31 U.S.C. 1352
(See reverse for public burden disclosure)

1. Type of Federal Action: N/A a. contract b. grant c. cooperative agreement d. loan e. loan guarantee f. loan insurance	**2. Status of Federal Action:** a. bid/offer/application ____ b. initial award N/A c. post-award	**3. Report Type:** N/A a. initial filing ____ b. material change **For material change only:** Year _____ quarter _____ Date of last report_____

4. Name and Address of Reporting Entity: ____ Prime _____ Subawardee Tier_____, if Known: N/A **Congressional District, if known:**	**5. If Reporting Entity in No. 4 is Subawardee,** Enter Name and Address of Prime: N/A **Congressional District, if known:**
6. Federal Department/Agency: N/A	**7. Federal Program Name/Description:** N/A CFDA Number, *if applicable:* _____
8. Federal Action Number, *if known:* N/A	**9. Award Amount,** *if known:* N/A $
10. a. Name and Address of Lobbying Registrant *(if individual, last name, first name, MI):* N/A	**b. Individuals Performing Services** *(including address if different from No. 10a)* *(last name, first name, MI):* N/A
11. Information requested through this form is authorized by title 31 U.S.C. section 1352. This disclosure of lobbying activities is a material representation of fact upon which reliance was placed by the tier above when this transaction was made or entered into. This disclosure is required pursuant to 31 U.S.C. 1352. This information will be reported to the Congress semi-annually and will be available for public inspection. Any person who fails to file the required disclosure shall be subject to a civil penalty of not less than $10,000 and not more than $100,000 for each such failure.	**Signature:** Kris Sonderberg **Print Name:** Kris Sonderberg **Title:** Vice President **Telephone No.:** 281-353-9599 **Date:** 6/23/2021
Federal Use Only	**Authorized for Local Reproduction** **Standard Form - LLL (Rev. 7-97)**

CERTIFICATION REGARDING DEBARMENT & SUSPENSION AND OTHER RESPONSIBILITY MATTERS

In accordance with the Executive Order 12549, the prospective primary participant certifies to the best of his / her knowledge and belief, that its principals:

a. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any federal department or agency;

b. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offence in connection with obtaining, attempting to obtain, or performing a public (federal, state, or local) transaction or contract under a public transaction; violation of federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction or records, making false statements, or receiving stolen property;


c. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (federal, state, or local) with commission of any of the offenses enumerated in paragraph (1) (b) of this certification.

d. Have not within a three-year period preceding this application / proposal had one or more public transactions (federal, state, or local) terminated for cause of default.

e. Acknowledge that all sub-contractors selected for this project must be in compliance with paragraphs (1) (a – d) of this certification.

Kris Soderberg Vice President
Name and Title of Authorized Agent

6/23/21
Date


Signature of Authorized Agent

____ I am unable to certify to the above statements. My explanation is attached.

CONFLICT OF INTEREST QUESTIONNAIRE

FORM CIQ

For vendor doing business with local governmental entity

This questionnaire reflects changes made to the law by H.B. 23, 84th Leg., Regular Session.

This questionnaire is being filed in accordance with Chapter 176, Local Government Code, by a vendor who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the vendor meets requirements under Section 176.006(a).

By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. *See* Section 176.006(a-1), Local Government Code.

A vendor commits an offense if the vendor knowingly violates Section 176.006, Local Government Code. An offense under this section is a misdemeanor.

OFFICE USE ONLY

Date Received

1 **Name of vendor who has a business relationship with local governmental entity.**

Kraftsman LP

2 ☐ **Check this box if you are filing an update to a previously filed questionnaire.** (The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than the 7th business day after the date on which you became aware that the originally filed questionnaire was incomplete or inaccurate.)

3 **Name of local government officer about whom the information is being disclosed.**

N/A

Name of Officer

4 **Describe each employment or other business relationship with the local government officer, or a family member of the officer, as described by Section 176.003(a)(2)(A). Also describe any family relationship with the local government officer. Complete subparts A and B for each employment or business relationship described. Attach additional pages to this Form CIQ as necessary.**

N/A

A. Is the local government officer or a family member of the officer receiving or likely to receive taxable income, other than investment income, from the vendor?

☐ Yes ☒ No

B. Is the vendor receiving or likely to receive taxable income, other than investment income, from or at the direction of the local government officer or a family member of the officer AND the taxable income is not received from the local governmental entity?

☐ Yes ☒ No

5 **Describe each employment or business relationship that the vendor named in Section 1 maintains with a corporation or other business entity with respect to which the local government officer serves as an officer or director, or holds an ownership interest of one percent or more.**

N/A

6 ☐ **Check this box if the vendor has given the local government officer or a family member of the officer one or more gifts as described in Section 176.003(a)(2)(B), excluding gifts described in Section 176.003(a-1).**

7

Signature of vendor doing business with the governmental entity

6/23/2021

Date

HOUSE BILL 89 VERIFICATION
CERTIFICATION REQUIRED BY TEXAS GOVERNMENT CODE SECTION 2270.001

I, Kris Soderberg, the undersigned representative of
Representative

Kraftsman LP, (hereafter referred to as Company) being an
Company or Business Name

adult over the age of eighteen (18) years of age, verify that the Company named above, under the provisions of Subtitle F, Title 10, Texas Government Code Chapter 2270:

1. Does not currently boycott the country of Israel; and
2. Will not boycott the country of Israel during the term of the contract with Calhoun County, Texas.

Pursuant to 2270.001, Texas Government Code:

1. *"Boycott Israel" means refusing to deal with, terminating business activities with, or otherwise taking any action that is intended to penalize, inflict economic harm on, or limit commercial relations specifically with Israel, or with a person or entity doing business in Israel or in an Israeli-controlled territory, but does not include an action made for ordinary business purposes; and*

2. *"Company" means a for-profit sole proprietorship, organization, association, corporation, partnership, joint venture, limited partnership, limited liability partnership, or any limited liability company, including a wholly owned subsidiary, majority-owned subsidiary, parent company or affiliate of those entities or business associations that exist to make a profit.*

Signature of Representative

Kris Soderberg Vice President
Print Name & Title

6/23/2021
Date

State law requires certification from a Company for contracts (which includes contracts formed through purchase orders) involving goods or services regardless of the amount.

RESIDENCE CERTIFICATION

Pursuant to Texas Government Code §2252.001 *et seq.*, as amended, Calhoun County requests Residence Certification. §2252.001 *et seq.* of the Government Code provides some restrictions on the awarding of governmental contract; pertinent provisions of §2252.001 are stated below:

Sec. 2252.001 (3) "Nonresident bidder" refers to a person who is not a resident.

(4) "Resident bidder" refers to a person whose principal place of business is in this state, including a contractor whose ultimate parent company or majority owner has its principal place of business in this state.

☐ I certify that _____ is a "Nonresident Bidder" of Texas
(Company Name)
as defined in Government Code §2252.001 and our principal place of business is

_____.
(City and State)

☒ I certify that Kraftsman LP is a "Resident Bidder" of Texas as
(Company Name)
defined in Government Code §2252.001.

Signature of Authorized Agent

Kris Soderberg Vice President

Printed Name and Title of Authorized Agent

6/23/2021

Date

Form **W-9**
(Rev. October 2018)
Department of the Treasury
Internal Revenue Service

Request for Taxpayer Identification Number and Certification

▶ Go to *www.irs.gov/FormW9* for instructions and the latest information.

Give Form to the requester. Do not send to the IRS.

Print or type. See Specific Instructions on page 3.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.

Kraftsman LP

2 Business name/disregarded entity name, if different from above

3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only one of the following seven boxes.

☐ Individual/sole proprietor or single-member LLC ☐ C Corporation ☐ S Corporation ☑ Partnership ☐ Trust/estate

☐ Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ▶ _____

Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is not disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner.

☐ Other (see instructions) ▶

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):

Exempt payee code (if any) _____

Exemption from FATCA reporting code (if any) _____

(Applies to accounts maintained outside the U.S.)

5 Address (number, street, and apt. or suite no.) See instructions.

19535 Haude Road

Requester's name and address (optional)

6 City, state, and ZIP code

Spring, TX 77388

7 List account number(s) here (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number

			-			-		

or

Employer identification number

2	6	-	0	4	3	8	1	5	8

Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
3. I am a U.S. citizen or other U.S. person (defined below); and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here	Signature of U.S. person ▶	J. O'Neill	Date ▶	3/2/2021

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to *www.irs.gov/FormW9*.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, *later.*

SF-424D (Rev. 7-97) Back

ASSURANCES - CONSTRUCTION PROGRAMS

OMB Number: 4040-0009
Expiration Date: 02/28/2022

Public reporting burden for this collection of information is estimated to average 15 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Office of Management and Budget, Paperwork Reduction Project (0348-0042), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THE OFFICE OF MANAGEMENT AND BUDGET. SEND IT TO THE ADDRESS PROVIDED BY THE SPONSORING AGENCY.

NOTE: Certain of these assurances may not be applicable to your project or program. If you have questions, please contact the Awarding Agency. Further, certain Federal assistance awarding agencies may require applicants to certify to additional assurances. If such is the case, you will be notified.

As the duly authorized representative of the applicant:, I certify that the applicant:

1. Has the legal authority to apply for Federal assistance, and the institutional, managerial and financial capability (including funds sufficient to pay the non-Federal share of project costs) to ensure proper planning, management and completion of project described in this application.
2. Will give the awarding agency, the Comptroller General of the United States and, if appropriate, the State, the right to examine all records, books, papers, or documents related to the assistance; and will establish a proper accounting system in accordance with generally accepted accounting standards or agency directives.
3. Will not dispose of, modify the use of, or change the terms of the real property title or other interest in the site and facilities without permission and instructions from the awarding agency. Will record the Federal awarding agency directives and will include a covenant in the title of real property acquired in whole or in part with Federal assistance funds to assure non-discrimination during the useful life of the project.
4. Will comply with the requirements of the assistance awarding agency with regard to the drafting, review and approval of construction plans and specifications.
5. Will provide and maintain competent and adequate engineering supervision at the construction site to ensure that the complete work conforms with the approved plans and specifications and will furnish progressive reports and such other information as may be required by the assistance awarding agency or State.
6. Will initiate and complete the work within the applicable time frame after receipt of approval of the awarding agency.
7. Will establish safeguards to prohibit employees from using their positions for a purpose that constitutes or presents the appearance of personal or organizational conflict of interest, or personal gain.
8. Will comply with the Intergovernmental Personnel Act of 1970 (42 U.S.C. §§4728-4763) relating to prescribed standards of merit systems for programs funded under one of the 19 statutes or regulations specified in Appendix A of OPM's Standards for a Merit System of Personnel Administration (5 C.F.R. 900, Subpart F).
9. Will comply with the Lead-Based Paint Poisoning Prevention Act (42 U.S.C. §§4801 et seq.) which prohibits the use of lead-based paint in construction or rehabilitation of residence structures.
10. Will comply with all Federal statutes relating to non-discrimination. These include but are not limited to: (a) Title VI of the Civil Rights Act of 1964 (P.L. 88-352) which prohibits discrimination on the basis of race, color or national origin; (b) Title IX of the Education Amendments of 1972, as amended (20 U.S.C. §§1681 1683, and 1685-1686), which prohibits discrimination on the basis of sex; (c) Section 504 of the Rehabilitation Act of 1973, as amended (29) U.S.C. §794), which prohibits discrimination on the basis of handicaps; (d) the Age Discrimination Act of 1975, as amended (42 U.S.C. §§6101-6107), which prohibits discrimination on the basis of age; (e) the Drug Abuse Office and Treatment Act of 1972 (P.L. 92-255), as amended relating to nondiscrimination on the basis of drug abuse; (f) the Comprehensive Alcohol Abuse and Alcoholism Prevention, Treatment and Rehabilitation Act of 1970 (P.L. 91-616), as amended, relating to nondiscrimination on the basis of alcohol abuse or alcoholism; (g) §§523 and 527 of the Public Health Service Act of 1912 (42 U.S.C. §§290 dd-3 and 290 ee 3), as amended, relating to confidentiality of alcohol and drug abuse patient records; (h) Title VIII of the Civil Rights Act of 1968 (42 U.S.C. §§3601 et seq.), as amended, relating to nondiscrimination in the sale, rental or financing of housing; (i) any other nondiscrimination provisions in the specific statue(s) under which application for Federal assistance is being made; and (j) the requirements of any other nondiscrimination statue(s) which may apply to the application.

11. Will comply, or has already complied, with the requirements of Titles II and III of the Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970 (P.L. 91-646) which provide for fair and equitable treatment of persons displaced or whose property is acquired as a result of Federal and federally-assisted programs. These requirements apply to all interests in real property acquired for project purposes regardless of Federal participation in purchases.

12. Will comply with the provisions of the Hatch Act (5 U.S.C. §§1501-1508 and 7324-7328) which limit the political activities of employees whose principal employment activities are funded in whole or in part with Federal funds.

13. Will comply, as applicable, with the provisions of the Davis-Bacon Act (40 U.S.C. §§276a to 276a-7), the Copeland Act (40 U.S.C. §276c and 18 U.S.C. §874), and the Contract Work Hours and Safety Standards Act (40 U.S.C. §§327-333) regarding labor standards for federally-assisted construction subagreements.

14. Will comply with flood insurance purchase requirements of Section 102(a) of the Flood Disaster Protection Act of 1973 (P.L. 93-234) which requires recipients in a special flood hazard area to participate in the program and to purchase flood insurance if the total cost of insurable construction and acquisition is $10,000 or more.

15. Will comply with environmental standards which may be prescribed pursuant to the following: (a) institution of environmental quality control measures under the National Environmental Policy Act of 1969 (P.L. 91-190) and Executive Order (EO) 11514; (b) notification of violating facilities pursuant to EO 11738; (c) protection of wetlands pursuant to EO 11990; (d) evaluation of flood hazards in floodplains in accordance with EO 11988; (e) assurance of project consistency with the approved State management program developed under the Coastal Zone Management Act of 1972 (16 U.S.C. §§1451 et seq.); (f) conformity of Federal actions to State (Clean Air) Implementation Plans under Section 176(c) of the Clean Air Act of 1955, as amended (42 U.S.C. §§7401 et seq.); (g) protection of underground sources of drinking water under the Safe Drinking Water Act of 1974, as amended (P.L. 93-523); and, (h) protection of endangered species under the Endangered Species Act of 1973, as amended (P.L. 93-205).

16. Will comply with the Wild and Scenic Rivers Act of 1968 (16 U.S.C. §§1271 et seq.) related to protecting components or potential components of the national wild and scenic rivers system.

17. Will assist the awarding agency in assuring compliance with Section 106 of the National Historic Preservation Act of 1966, as amended (16 U.S.C. §470), EO 11593 (identification and protection of historic properties), and the Archaeological and Historic Preservation Act of 1974 (16 U.S.C. §§469a-1 et seq).

18. Will cause to be performed the required financial and compliance audits in accordance with the Single Audit Act Amendments of 1996 and OMB Circular No. A-133, "Audits of States, Local Governments, and Non-Profit Organizations."

19. Will comply with all applicable requirements of all other Federal laws, executive orders, regulations, and policies governing this program.

20. Will comply with the requirements of Section 106(g) of the Trafficking Victims Protection Act (TVPA) of 2000, as amended (22 U.S.C. 7104) which prohibits grant award recipients or a sub-recipient from (1) Engaging in severe forms of trafficking in persons during the period of time that the award is in effect (2) Procuring a commercial sex act during the period of time that the award is in effect or (3) Using forced labor in the performance of the award or subawards under the award.

SIGNATURE OF AUTHORIZED CERTIFYING OFFICIAL	TITLE
	Vice President
APPLICANT ORGANIZATION Kraftsman LP	DATE SUBMITTED 6/23/2021

Grantee/Subrecipient: _____
Include this document in all applicable bid packets

Texas General Land Office
Community Development Block Grant (CDBG)
Disaster Recovery Program

Contractor Certification of Efforts to Fully Comply with Employment and Training Provisions of Section 3

Economic Opportunities for Low and Very Low-Income Persons

THE BIDDER REPRESENTS AND CERTIFIES AS PART OF ITS BID/OFFER THAT IT:

☐ Is a Section 3 Business Concern. A Section 3 Business Concern means a business concern:
1. That is 51% or more owned by Section 3 Resident(s); or
2. Whose permanent, full-time employees include persons, at least 30% of whom are currently Section 3 Residents, or
3. That provides evidence of a commitment to subcontract in excess of 25% of the dollar value of all subcontracts to be awarded to Section 3 Business Concerns, that meet the qualifications set forth in paragraphs 1 or 2 herein.

☒ Is NOT a Section 3 Business Concern, but who has and will continue to seek compliance with Section 3 by certifying the following efforts to be undertaken.

EFFORTS TO AWARD SUBCONTRACTOR TO SECTION 3 CONCERNS
(Check ALL that apply)

- ☒ By contacting business assistance agencies, minority contractors associations and community organizations to inform them of the contracting opportunities and requesting their assistance in identifying Section 3 businesses which may solicit bids for a portion of the work.
- ☐ By advertising contracting opportunities by posting notices, which provide general information about the work to be contracted and where to obtain additional information, in the common areas of the applicable development(s) owned and managed by the Housing Authority.
- ☐ By providing written notice to all known Section 3 Business Concerns of contracting opportunities. This notice should be in sufficient time to allow the Section 3 Business Concerns to respond to bid invitations
- ☒ By following up with Section 3 Business Concerns that have expressed interest in the contracting opportunities.
- ☒ By coordinating meetings at which Section 3 Business Concerns could be informed of specific elements of the work for which subcontract bids are being sought.
- ☐ By conducting workshops on contracting procedures and specific contracting opportunities in a timely manner so that Section 3 Business Concerns can take advantage of contracting opportunities.
- ☒ By advising Section 3 Business Concerns as to where to seek assistance to overcome barriers such as inability to obtain bonding, lines of credit, financing, or insurance and aiding Section 3 Businesses in qualifying for such bonding , financing, insurance, etc....
- ☐ Where appropriate, by breaking out contract work into economically feasible units to facilitate participation by Section 3 businesses.
- ☒ By developing and using a list of eligible Section 3 Business Concerns.
- ☐ By actively supporting and undertaking joint ventures with Section 3 Businesses.

EFFORTS TO PROVIDE TRAINING AND EMPLOYMENT TO SECTION 3 RESIDENTS

- ☐ By entering into a "first source" hiring agreements with organizations representing Section 3 Residents.
- ☐ By establishing training programs, which are consistent with the requirements of the Department of Labor, specifically for Section 3 Residents in the building trades.
- ☐ By advertising employment and training positions to dwelling units occupied by Category 1 and 2 residents.
- ☐ By contacting resident councils and other resident organizations in the affected housing development to request assistance in notifying residents of the training and employment positions to be filled.
- ☐ By arranging interviews and conducting interviews on the job site.
- ☐ By undertaking such continued job training efforts as may be necessary to ensure the continued employment of Section 3 Residents previously hired for employment opportunities.
- ☐ By posting job vacancies in Work-In-Texas or with my local Workforce Solutions Center.

Contractor Name/Business Name: Kraftsman LP **Date:** 6/23/2021

Authorized Representative Name: Kris Soderberg

Signature: Kris Soderberg

DOCUMENT NO. 00415

CONTRACTOR'S CORPORATE RESOLUTION

I hereby certify that it was RESOLVED by a quorum of the directors of

_____,
(Name of Corporation)

meeting on the _____ day of _____, 20____,

that _____, _____, be,
(Name of Principal) (Title)

and hereby is, authorized to execute all documents necessary for the transaction of business in the

State of Texas on behalf of the said _____, and
(Name of Corporation)

That the above resolution was unanimously ratified by the Board of Directors at said meeting and that the resolution has not been rescinded or amended and is now in full force and effect; and in authentication of the adoption of this resolution, I subscribe my name this day of _____, 20____.

_____
Secretary

++

If you are not a corporation, please check the box and sign below [X]

Company Name: Kraftsman LP

Signed By: Kris Soderberg

Print Name/Title: Kris Soderberg Vice President

END OF DOCUMENT

DOCUMENT NO. 00416

NON-COLLUSION AFFIDAVIT

State of Texas)

County of Harris)

Kris Soderberg, being first duly sworn, deposes and says that:

1. He is Vice President of Kraftsman LP, the BIDDER that has submitted the attached Bid;

2. He is fully informed respecting the preparation and contents of the attached Bid and of all pertinent circumstances respecting such Bid;

3. Such Bid is genuine and is not a collusive or sham Bid;

4. Neither the said BIDDER nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, including this affiant, has in any way colluded, conspired, connived or agreed, directly or indirectly with another BIDDER, firm or person to submit a collusive or sham Bid in connection with the Contract for which the attached Bid has been submitted or to refrain from bidding in connection with such Contract, or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other BIDDER, firm or person to fix the price or prices in the attached Bid or of any other BIDDER, or to fix an overhead, profit or cost element of the Bid price or the Bid price of any other BIDDER, or to secure through any collusion, conspiracy, connivance or unlawful agreement any advantage against **CALHOUN COUNTY** (OWNER) or any person interested in the proposed Contract; and

5. The price or prices quoted in the attached Bid are fair and proper and are not tainted by any collusion, conspiracy, connivance or unlawful agreement on the part of the BIDDER or any of its agents, representatives, owners, employees, or parties in interest, including this affiant.

(Signed) _____
Vice President
Title

Subscribed and sworn to me this 23rd day of June, 20 21.

By: _____
Notary Public

My commission expires 8/16/2023.

TONIA D BENNETT
Notary ID #11653873
My Commission Expires
August 16, 2023

END OF DOCUMENT

DOCUMENT NO. 00417

TRENCH SAFETY SYSTEMS INDEMNITY AGREEMENT

OWNER: **Calhoun County**

CONTRACTOR: Kraftsman LP
(company name)

ENGINEER: **G & W Engineers, Inc., Port Lavaca, Calhoun County, Texas**

PROJECT: **INFRASTRUCTURE AT LITTLE CHOCOLATE BAYOU COUNTY PARK - PLAYGROUND IMPROVEMENTS CALHOUN COUNTY, TEXAS - TEXAS GENERAL LAND OFFICE CONTRACT NO. 20-065-064-C182 AND CALHOUN COUNTY 2020 CDBG-DR CONTRACT WORK ORDER NO. E-1.**

CONTRACTOR has entered into a contract with OWNER for the construction of the Project. ENGINEER has designed the Project on behalf of OWNER, but has not designed any trench safety systems for the Project that may be required by applicable federal, state and/or local laws. CONTRACTOR, in its contract with OWNER, has agreed to prepare, and to conform all trenching work to plans for trench safety systems meeting the standards of applicable laws.

CONTRACTOR, as part of its consideration to OWNER for the contract for the construction of the Project, agrees that it will be solely responsible for compliance with its trench safety plans and with all applicable standards of federal, state and/or local laws relating to trench safety.

CONTRACTOR further agrees to hold harmless, indemnify, and defend OWNER and ENGINEER, and all officers, agents and employees of either OWNER or ENGINEER, from and against any and all claims, demands or causes of action of any nature, character or description in connection with the presence, or in any way arising out of, the use or construction of trenches or trench safety systems as part of the Project.

EXECUTED, this 23rd day of June, 20 21.

CONTRACTOR

By: _____
Officer's Name: Kris Soderberg
Title of Officer: Vice President

~~(Contractor's Seal)~~

OWNER

By: _____
Officer's Name: Richard H. Meyer
Title of Officer: Calhoun County Judge

ENGINEER

By: _____
Engineer's Name: Scott P. Mason, P.E.
Title of Engineer: Sr. Project Engineer

END OF DOCUMENT

DOCUMENT NO. 00420
STATEMENT OF BIDDER'S QUALIFICATIONS

All questions must be answered and the data given must be clear and comprehensive. **This statement must be notarized.** If necessary, questions may be answered on separate attached sheets. The Bidder may submit any additional information it desires.

Date: 6/23/21
Bidder (Legal Name of Firm): Kraftsman LP
Date Organized:
Name of Owner(s): Mark Soderberg Michelle Soderberg Korey Soderberg Kris Soderberg
Address: 19535 Haude Rd
Spring TX. 77388

Date Incorporated:
Federal ID Number: 26-0438158
Number of Years in contracting business under present name 40 yrs
List all other names under which your business has operated in the last 10 years:

Work Presently Under Contract:

Contract	Amount $	Completion Date
See attached - Work in progress		

Type of work performed by your company: Construction of Recreation and water park equipment

Total Staff employed by Firm (Break down by Managers and Trades on separate sheet):

See attached

Have you ever failed to complete any work awarded to you? ☐ Yes ☒ No
(If yes, please attach summary of details on a separate sheet. Include brief explanation of cause and resolution)

Have you ever defaulted on a contract? ☐ Yes ☒ No
(If yes, please attach summary of details on a separate sheet.)

Has your organization had any disbarments or suspensions that have been imposed in the past five years or that was still in effect during the five year period or is still in effect? ☐ Yes ☒ No

(If yes, list and explain; such list must include disbarments and suspensions of officers, principals, partners, members, and employees of your organization.)

List the projects most recently completed by your firm (include project of similar importance):

Project	Amount $	Mo/Yr Completed
See attached		

Major equipment available for this contract: Playground equipment site amenities and saftey surfacing and installation

Are you in compliance with all applicable EEO requirements? ☒ Yes ☐ No
(If no, please attach summary of details on a separate sheet.)

Are you a Section 3 business? (see below) ☐ Yes ☒ No

Section 3 Business Concerns:

a) Businesses that are 51 percent or more owned by Section 3 residents;

b) Businesses whose permanent, full-time employees include persons, at least 30 percent of whom are currently Section 3 residents, or within three years of the date of first employment with the firm were Section 3 residents;

c) Businesses that provide evidence of a commitment to subcontract in excess of 25 percent of the dollar amount of all subcontracts to be awarded to businesses that meet the qualifications described above; or

d) Businesses located within the Grant Recipient's jurisdiction that identifies themselves as Section 3 Business Concerns because they provide economic opportunities for low- and very low income persons.

Bank References Amegy Bank

Address: 17046 Stubner Airline Rd. Contact Name: Forrest Turner

City & State: Spring, TX Zip: 77379 Phone Number: 281 320 - 1410

Credit available: $ _____

Has the firm or predecessor firm been involved in a bankruptcy or reorganization? ☐ Yes ☒ No
(If yes, please attach summary of details on a separate sheet.)

List on a sheet attached hereto all judgements, claims, arbitration proceedings, or suits pending or outstanding against bidder over the last five (5) years with amount of claim and brief description.

List on a sheet attached hereto all lawsuits or requested arbitration with regard to construction contracts which bidder has initiated within the last five (5) years and brief explanation of claim and outcome.

Attach resume(s) for the principal member(s) of your organization, including the officers as well as the proposed superintendent for the project.

Signed this 23rd day of June, 20 21.

Signature: [signature]

Printed Name and Title: Kris Soderberg Vice President

Company Name: Kraftsman LP

Notary Statement:

Kris Soderberg, being duly sworn, says that he/she is the VP Position/Title of Kraftsman, LP (Firm Name), and hereby swears that the answers to the foregoing questions and all statements therein contained are true and correct. He/she hereby authorizes and requests any person, firm, or corporation to furnish any information requested by **CALHOUN COUNTY** in verification of the recitals comprising this Bidder's Qualifications Statement.

Subscribed and sworn before me this 23rd day of June, 2021.

Notary Public

Signature: Tonia D. Bennett

Printed Name: Tonia D. Bennett

My Commission Expires: 8/16/2023

TONIA D BENNETT
Notary ID #11633873
My Commission Expires
August 16, 2023

The penalty for making false statements is prescribed in the U. S. Criminal Code, 18 U.S.C. 1001.

END OF DOCUMENT

Kraftsman LP
Work in Process
30-May-21

	Order / Project	SALES TOTAL
1	Project 23554	404,202
2	69269	199,950
3	64655	146,350
4	Project 24229	26,187
5	69179	293,023
6	Project 21404	1,240,846
7	69068	217,162
8	69418	16,485
9	Project 25294	42,501
10	68488	16,045
11	69814	42,722
12	69160	110,973
13	Project 21786	159,855
14	68097-1	73,089
15	Project 22383	401,330
16	69318-1	14,125
17	69140-1	20,115
18	Project 20673	180,229
19	Project 25264	232,900
20	Project 25160	207,357
21	68887	27,425
22	67334	261,956
23	65331	156,741
24	68944-1	81,666
25	Project 25033	55,000
26	69747-2	11,694
27	68909	157,756
28	Project 23650	644,656
29	Project 16984	624,983
30	Project 24408	116,002
31	68950-3	142,360
32	Project 23595	19,890
33	68438	220,000
34	Project 25742	24,998
35	69588	10,224
36	Project 24069	171,248
37	67800	439,312
38	68981	45,491
39	69090	10,919
40	69888	337,790
41	68552-1	205,190
42	69007	1,399,955
43	68574	22,524
44	69070	43,092
45	68434-1	197,651
46	70120	26,512
47	70023	18,050
48	70110-1	90,000
49	69548	178,000
50	69817	88,664
51	68600	22,704
52	Project 22572	149,092
53	Project 25217	94,665
54	69899	140,060
55	64611	59,278
		10,532,691

CITY OF DALLAS
Office of Economic Development – Business and Workforce Inclusion
Ethnic Workforce Composition Report (BWI-FRM-627)

(Note: Please use the Tab button, mouse or arrows to move from one section to the next. *Please DO NOT use the "Enter" key.*)

Company name: Kraftsman LP

Address: 19535 Haude Road, Spring, TX 77388

Bid #: PKR – 2021 - 00016043

Telephone Number: 281 - 353 - 9599 Ext.

Email Address: koreys@kraftsmanplay.com

Please complete the following sections based on the ethnic composition of the (location) entity in the address line above.

Employee Classification	Total No. Employees		White		Black		Hispanic		Other	
	Male	Female	M	F	M	F	M	F	M	F
Administrative/ Managerial	4	1	3	1	1					
Professional	8	1	5	1			3			
Technical	1	4	1	2				2		
Office/Clerical	1	3	1	2				1		
Skilled	6		6							
Semiskilled	4		1				3			
Unskilled	7		2				5			
Seasonal										
Totals:	31	9	19	6	1		11	3		
# of employees living in Dallas:	0	0	0	0	0	0	0	0	0	0
Total % of employees living in Dallas										

Korey Soderberg

Officer's Signature

Korey Soderberg

Typed or Printed Name

Chief Operating Officer

Title

April 7, 2021

Date



Chambers Co. Safari Run Playground
Winnie, TX

Scope: Replacement of playground equipment and rubber surfacing.


Location: 335 Park Street
Winnie, TX

Installed: Spring 2020

Project Cost: $299,992

Owner:
Grant Smith - gsmith@chamberstx.gov

References:
Brandy Hutchins - bnhutchins@chamberstx.gov
Kirk Sherman - ksherman@chamberstx.gov



THE FUN BUILDERS
KRAFTSMAN
KRAFTSMANPLAY.COM

www.KraftsmanPlay.com 1800.451.4869



Mineral Wells Playground & SplashPark
Guthrie, OK

Scope: Addition of playground and SplashPark with matching train themes.

Location: 901 S Division
Guthrie, OK

Installed: Summer 2020

Project Cost: $460,647


Owner:
Leroy Alsup - lalsup@cityofguthrie.com
Tenny Maker - tmaker@cityofguthrie.com


References:
Jon Alexander - jona@mece.us.com



THE FUN BUILDERS
KRAFTSMAN
KRAFTSMANPLAY.COM

www.KraftsmanPlay.com 1800.451.4869


Le Tulle Park
Playground
Bay City, Texas
Scope: Installation of custom barn themed inclusive playground with swing area.
Location: 1135 S Highway 135
Bay City, Texas 77414
Installed: Fall 2019
Project Cost: $422,050
Owner: City of Bay City
References:
Shawn Blackburn - sblackburn@cityofbaycity.org
THE FUN BUILDERS
KRAFTSMAN
KRAFTSMANPLAY.COM
www.KraftsmanPlay.com
1800.451.4869



Reeves Co. Interactive Playground

Pecos, TX

Scope: Installation of playground with multiple shade structures and inclusive play features


Location: 113 N Cedar St.
Pecos, TX

Installed: Fall 2020

Project Cost: $524,873


Owner:
Gary Rumbaugh - gary.rumbaugh@co.reeves.tx.us

References:
Tony Trujillo - ttsurvey@windstream.net
Hon Leo Hung - judgebang@yahoo.com



THE FUN BUILDERS
KRAFTSMAN
KRAFTSMANPLAY.COM

www.KraftsmanPlay.com 1800.451.4869


Independence Park
Playground
Pearland, Texas
Scope: Installation of custom nature themed inclusive playground along with swings and sand box area.
Location: 3919 Liberty Drive, Pearland, Texas 77581
Installed: Spring 2019
Project Cost: $308,728
Owner: City of Pearland
References:
Kevin Carter - kcarter@pearlandtx.gov
THE FUN BUILDERS
KRAFTSMAN
KRAFTSMANPLAY.COM
www.KraftsmanPlay.com
1800.451.4869



Aransas Pass Community Park Playground

Aransas Pass, Texas

Scope: Installation of playground equipment, shades and amenities.

Location: 309 E Johnson Avenue
Aransas Pass, Texas

Installed: Spring 2014

Project Cost: $353,346

Owner: City of Aransas Pass

References:
Sylvia Carrillo - scarrillo@aransaspasstx.gov



THE FUN BUILDERS
KRAFTSMAN
KRAFTSMANPLAY.COM

www.KraftsmanPlay.com

1800.451.4869

Kraftsman Commercial Playgrounds & Water Parks

SplashPark References




MLK SPLASHPARK
Conroe, TX



K.B. POLK SPLASHPARK
Dallas, TX



STELLA MARE SPLASHPARK
Galveston, TX



JAYCEE ZARAGOSA SPLASHPARK
Dallas, TX

PROJECT NAME	LOCATION	DATE	COST	MAIN CONTACT	EMAIL
Oak Ridge SplashPark	Balch Springs, TX	In Progress	$1.3 Mil	William Freeman	wfreeman@cityofbalchsprings.com
Bay City Amistad Park	Bay City, TX	In Progress	$293K	Shawn Blackburn	sblackburn@cityofbaycity.org
Kids Colony SplashPark	The Colony, TX	In Progress	$799K	Eve Morgan	emorgan@thecolonytx.gov
Canyon Falls SplashPark	Argyle, TX	In Progress	$348K	David Stanfield	david@msbconstructorsinc.com
MLK SplashPark	San Antonio, TX	In Progress	$439K	Pat Schneider	patrick.schneider@sanantonio.gov
Morningside SplashPark	New Braunfels, TX	In Progress	$293K	Steven Spreen	steven@vkk.com
Sallas SplashPark	New Caney, TX	Apr. 2020	$334K	Phyllis Martin	phyllis.martin@mctx.org
Grand Prarie Splash Factory	Grand Prarie, TX	Mar. 2020	$635K	Steven Plumer	splumer@gptx.org
Watauga Capp Smith SplashPark	Watauga, TX	Jan. 2020	$699K	Paul Heckleman	pheckleman@wataugatx.org
Port Aransas Nature SplashPark	Port Aransas, TX	Jan. 2020	$350K	David Parsons	davidparsons@cityofportaransas.org
Stone Creek Community SplashPark	Houston, TX	Dec. 2019	$302K	Debra Willis	dwillis@sterlingasi.com
Buda City SplashPark	Buda, TX	Mar. 2019	$271K	Greg Olmer	golmer@ci.buda.tx.us
Liz Carpenter Fountain Renovation	Austin, TX	Mar. 2019	$1.2Mil	Patrick Beyer	patrick.beyer@austintexas.gov
Robert Smith SplashPark	Fate, TX	Mar. 2019	$699K	Steve Gilbert	sgilbert@cityoffate.com
Davis Park SplashPark	Carthage, TX	Feb. 2019	$309K	Stephen Williams	swilliams@carthagetexas.com
Lakewood Park SplashPark	Leander, TX	Jan. 2019	$490K	Mark Tummons	mtummons@leandertx.gov
Waxahachie Amphitheater SplashPark	Waxahachie, TX	Jan. 2019	$287K	Layne Olivo	layne@fbmconstructioninc.com
Jack Mann SplashPark	Longview, TX	Dec. 2018	$376K	Seth Pyle	spyle@longviewtexas.gov
Timberglen SplashPark	Dallas, TX	Dec. 2018	$994K	David Mills	david.mills@dallascityhall.com
K.B. Polk SplashPark	Dallas, TX	Dec. 2018	$1.0Mil	David Mills	david.mills@dallascityhall.com
Nash-Davis SplashPark	Dallas, TX	Dec. 2018	$990K	David Mills	david.mills@dallascityhall.com
Kleberg Rylie SplashPark	Dallas, TX	Dec. 2018	$978K	David Mills	david.mills@dallascityhall.com
Jaycee Zaragosa SplashPark	Dallas, TX	Dec. 2018	$994K	David Mills	david.mills@dallascityhall.com
Grauwyler SplashPark	Dallas, TX	Dec. 2018	$994K	David Mills	david.mills@dallascityhall.com
Grapevine Railroad Station Fountain	Grapevine, TX	Oct. 2018	$517K	Kevin Mitchell	kmitchell@grapevinetexas.gov
Pleasanton River Park SplashPark	Pleasanton, TX	Aug. 2018	$350K	Greg Leach	gleach@pleasantontx.gov
Heritage Park SplashPark	Taylor, TX	Feb. 2018	$291K	Derek Marshall	derek@bwconst.com
Gene Howe SplashPark	Amarillo, TX	Jan. 2018	$362K	Brad Nalley	bradley.nalley@amarillo.gov
Lincoln Park Splash Garden	San Antonio, TX	Dec. 2017	$346K	Sandy Jenkins	sandy.jenkins@sanantonio.gov
Marshall Park SplashPark	Weatherford, TX	Nov. 2017	$296K	Shannon Goodman	sgoodman@weatherfordtx.gov
Stella Mare SplashPark	Galveston, TX	Aug. 2017	$311K	Eron Smith	whitestonerholdings@gmail.com
Carl G. Young SplashPark	Denton, TX	Jun. 2017	$252K	Jim Mays	jim.mays@farmersbranchtx.gov
Lakes of Savannah SplashPark	Rosharon, TX	May 2017	$270K	Olavia Rhone	losrhone@gmail.com
Jenkins Park SplashPark	Baytown, TX	Oct. 2016	$375K	Scott Johnson	scott.johnson@baytown.org
MLK SplashPark	Conroe, TX	Oct. 2016	$573K	Mike Riggens	mriggens@cityofconroe.org
Roman Forest City SplashPark	Roman Forest, TX	Jul. 2016	$294K	Joseph Costanza	jacostenza@jac-ce.com
Heritage Park SplashPark	Splendora, TX	May 2016	$451K	Frank McCrady	fmccrady@emctx.com
South Shore Harbour SplashPark	League City, TX	Mar. 2016	$313K	Joe Long	jmlong@att.net
Madisonville SplashPark	Madisonville, TX	Jan. 2016	$251K	Kevin Story	kevin.story@ci.madisonville.tx.us

DOCUMENT NO. 00430

CONTRACTOR'S LOCAL OPPORTUNITY PLAN

Kraftsman LP _____ agrees to implement the following specific affirmative action steps directed at increasing the utilization of lower income residents and businesses within **CALHOUN COUNTY**, hereinafter called OWNER.

A. To ascertain from OWNER's CDBG-DR program official the exact boundaries of the project area and where advantageous, seek the assistance of local officials in preparing and implementing the affirmative action plan.

B. To attempt to recruit from OWNER the necessary number of lower income residents through local advertising media, signs placed at the proposed site for the project, and community organizations and public or private institutions operating within and servicing the project area such as Service Employment and Redevelopment (SER), Opportunities Industrialization Center (OIC), Urban League, Concentrated Employment Program, Hometown Plan, or the U.S. Employment Service.

C. To maintain a list of all lower income residents who have applied either on their own or on referral from any source, and to employ such persons, if otherwise eligible and if a vacancy exists.

D. To require all subcontracts to have an affirmative action plan including utilization goals and the specific steps planned to accomplish these goals.

E. To insure that subcontracts (greater than $10,000) which are typically let on a negotiated rather than a bid basis in areas other than the covered project area are also let on a negotiated basis, whenever feasible, in a covered project area.

F. To formally contact unions, subcontractors, and trade associations to secure their cooperation in this effort.

G. To insure that all appropriate project area business concerns are notified of pending sub-contractual opportunities.

H. To maintain records, including copies of correspondence, memoranda, etc., which document that all of the above affirmative action steps have been taken.

I. To appoint or recruit an executive official of the company or agency as Equal Opportunity Officer to coordinate the implementation of this plan.

J. To maintain records concerning the amount and number of contracts, subcontracts, and purchases which contribute to objectives.

K. To maintain records of all projected work force needs for all phases of the project by occupation, trade, skill level, and number of positions and to update these projections based on the extent to which hiring meets these Local Opportunity objectives.

As officers and representatives of Kraftsman LP, we, the undersigned, have read and fully agree to this Plan, and become a party to the full implementation of the program and its provisions.

Signature

Kris Soderberg
Printed Name

Vice Presidet
Title

Date 6/23/2021

END OF DOCUMENT

DOCUMENT NO. 00450

CONTRACTOR CERTIFICATIONS

U.S. Department of Housing and Urban Development

CERTIFICATION OF BIDDER REGARDING CIVIL RIGHTS LAWS AND REGULATIONS

INSTRUCTIONS

CERTIFICATION OF BIDDER REGARDING Executive Order 11246 and Federal Laws Requiring Federal Contractor to adopt and abide by equal employment opportunity and affirmative action in their hiring, firing, and promotion practices. This includes practices related to race, color, gender, religion, national origin, disability, and veterans' rights.

Kraftsman 19535 Haude Rd Spring TX 77388

NAME AND ADDRESS OF BIDDER (include ZIP Code)

CERTIFICATION BY BIDDER

Bidder has participated in a previous contract or subcontract subject to Civil Rights Laws and Regulations:

☒ Yes ☐ No

The undersigned hereby certifies that:

☒ The Provision of Local Training, Employment, and Business Opportunities clause (Section 3 provision) is included in the Contract. A written Section 3 plan (Local Opportunity Plan) was prepared and submitted as part of the bid proceedings (if bid equals or exceeds $100,000).

☒ The Equal Opportunity clause is included in the Contract (if bid equals or exceeds $10,000).

☒ The Section 503 clause is included in the contract

Have you ever been or are you being considered for sanction due to violation of Executive Order 11246, as amended?

☐ Yes ☒ No

Kris Soderberg Vice President

NAME AND TITLE OF SIGNER (Please type)

SIGNATURE

6/23/2021

DATE

SECTION 504 CERTIFICATION

POLICY OF NONDISCRIMINATION ON THE BASIS OF DISABILITY

The Kraftsman LP does not discriminate on the basis of disability status in the admission or access to, or treatment or employment in, its federally assisted programs or activities.

(Name) Kraftsman LP

(Address) 19535 Haude Rd

Spring TX. 77388

City State Zip

Telephone Number (281) 353 - 9599 Voice

( ) _____ - _____ TDD

Jim O'Neill has been designated to coordinate compliance with the nondiscrimination requirements contained in the Department of Housing and Urban Development's (HUD) regulations implementing Section 504 (24 CFR Part 8. dated June 2, 1988).

U.S. DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT
COMMUNITY DEVELOPMENT BLOCK GRANT PROGRAM
CONTRACTOR'S CERTIFICATION

CONCERNING LABOR STANDARDS AND PREVAILING WAGE REQUIREMENTS

TO (appropriate recipient)	DATE 6/23/2021
	PROJECT NUMBER (if any) 20-065-064-C182
C/O	PROJECT NAME Little Chocolate Bayou County Park Playground Improvements

1. The undersigned, having executed a contract with Calhoun County for the construction of the above-identified project, acknowledges that:

   (a) The Labor Standards provisions are included in the aforesaid contract,

   (b) Correction of any infractions of the aforesaid conditions, including infractions by any subcontractors and any lower tier subcontractors, is Contractor's responsibility.

2. Certifies that:

   (a) Neither Contractor nor any firm, partnership or association in which it has substantial interest is designated as an ineligible contractor by the Comptroller General of the United States pursuant to Section 5.6(b) of the Regulations of the Secretary of Labor, Part 5 (29 CFR, Part 5) or pursuant to Section 3(a) of the Davis-Bacon Act, as amended.

   (b) No part of the aforementioned contract has been or will be subcontracted to any subcontractor if such subcontractor or any firm, corporation, partnership or association in which such subcontractor has a substantial interest is designated as an ineligible contractor pursuant to any of the aforementioned regulatory or statutory provisions.

3. Contractor agrees to obtain and forward to the aforementioned recipient within ten days after the execution of any subcontract, including those executed by subcontractors and any lower tier subcontractors, a Subcontractor's Certification Concerning Labor Standards and Prevailing Wage Requirements executed by the subcontractors.

4. Certifies that:

   (a) The legal name and the business address of the undersigned are:

   Kraftsman LP

   (b) The undersigned is (choose one):

(1) A SINGLE PROPRIETORSHIP	(3) A CORPORATION ORGANIZED IN THE STATE OF
(2) A PARTNERSHIP X	(4) OTHER ORGANIZATION (Describe)

   (c) The name, title and address of the owner, partners or officers of the undersigned are:

NAME	TITLE	ADDRESS
Michelle Soderberg	President	122 April Breeze Montgomery TX.77356
Mark Soderberg	General Manager	122 April Breeze Montgomery TX. 77356
Kris Soderberg	Vice President	102 Aberdeen CT. Montgomery TX 77316
Korey Soderberg	CEO	106 Leah Dr. Montgomery TX. 77316

(d) The names and addresses of all other persons having a substantial interest in the undersigned, and the nature of the interest are:

NAME	ADDRESS	NATURE OF INTEREST
N/A		

(e) The names, addresses and trade classifications of all other building construction contractors in which the undersigned has a substantial interest are:

NAME	ADDRESS	TRADE CLASSIFICATION
N/A		

(Contractor)

Date 6/23/2021

By Kris Soderberg

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY): 10/9/2020

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Brady, Chapman, Holland & Associates 10055 West Gulf Bank Houston TX 77040	CONTACT NAME: PHONE (A/C, No, Ext): 713-688-1500 FAX (A/C, No): E-MAIL ADDRESS:

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER A: Texas Mutual Insurance Co	22945
INSURER B: Oklahoma Surety Co.	23426
INSURER C: Mid-Continent Casualty Co.	23418
INSURER D: Navigators Specialty Ins. Co. (AmWINS)	36056
INSURER E:	
INSURER F:	

INSURED
Kraftsman, LP
Kraftsman Commercial Playgrounds and Water Parks
19535 Haude Road
Spring TX 77388

COVERAGES **CERTIFICATE NUMBER:** 193021606 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
B	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE [X] OCCUR X 1,000 Bl/PD Ded GEN'L AGGREGATE LIMIT APPLIES PER: POLICY [X] PRO-JECT [ ] LOC OTHER:			06GL001048525	10/11/2020	10/11/2021	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) MED EXP (Any one person) PERSONAL & ADV INJURY GENERAL AGGREGATE PRODUCTS - COMP/OP AGG	$ 1,000,000 $ 100,000 $ $ 1,000,000 $ 2,000,000 $ 2,000,000 $
B	AUTOMOBILE LIABILITY X ANY AUTO OWNED AUTOS ONLY [ ] SCHEDULED AUTOS X HIRED AUTOS ONLY [X] NON-OWNED AUTOS ONLY			06CA002839528	10/11/2020	10/11/2021	COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)	$ 1,000,000 $ $ $ $
D	[ ] UMBRELLA LIAB [X] OCCUR X EXCESS LIAB [ ] CLAIMS-MADE [ ] DED [X] RETENTION $ 0			HO20EXC784378IC	10/11/2020	10/11/2021	EACH OCCURRENCE AGGREGATE	$ 5,000,000 $ 5,000,000 $
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) Y/N [Y] N/A If yes, describe under DESCRIPTION OF OPERATIONS below			0010050303	10/11/2020	10/11/2021	X PER STATUTE [ ] OTH-ER E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYEE E.L. DISEASE - POLICY LIMIT	 $ 1,000,000 $ 1,000,000 $ 1,000,000
C	Rented & Leased Equipment			04CIM000016334	10/11/2020	10/11/2021	$300,000 $300,000 Deductible	Per Item Per Loss $2,500

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER

Sample Certificate


CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Jeff Brady

© 1988-2015 ACORD CORPORATION. All rights reserved.



Kraftsman Commercial Playgrounds & Water Parks

INSTALLATION WARRANTY

Kraftsman Commercial Playgrounds and Water Parks warrants that its installation will conform in kind and quality to the specifications set forth in the proposal, and will be free of defects in installation materials; under normal use and service for the period set forth below:

1 year warranty on installation.
1 year warranty on underground materials used in the course of installation.

All warranties start on the date of the Seller's invoice. Kraftsman Commercial Playgrounds and Water Parks shall repair or replace the defective part or parts used in the course of installation. All removal and installation required by Kraftsman Commercial Playgrounds and Water Parks to perform non-warranty repairs or replacement on others equipment shall be the responsibility of the purchaser.

The warranty stated above is valid only if the structures and/or equipment erected and/or installed in conformance with other vendors installation and assembly instructions are maintained according to the maintenance procedures furnished by other vendors; have been subjected to normal use for the purpose for which the products were designed; have not been subjected to misuse, negligence, vandalism, or accident; have not been subjected to addition or substitution of parts; and have not been modified, altered, or repaired by other persons other than Seller or Seller's designees in any respect which, in the judgment of the Seller, affects the condition or operation of the installed structures and or components.

To make a claim, please send your written statement of claim, along with the project name to:

Kraftsman Commercial Playgrounds and Water Parks
19535 Haude Rd
Spring, Texas 77388
or email us at warrantyrequest@kraftsmanplay.com

Superior
RECREATIONAL PRODUCTS

Superior Recreational Products Comprehensive Warranty

Limited Warranty: Product

Superior Recreational Products (SRP) warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once SRP has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by SRP, good construction practices, and has been subjected only to normal use and exposure.

- Lifetime* Warranty on playground steel and recycled posts, all stainless steel hardware, c-line fittings, and aluminum post caps
- 20-Year Limited Warranty on steel shade framework
- 15-Year Limited Warranty on playground pipes, rungs, loops and rails, roto-molded plastics, HDPE plastic sheets, punched steel decks, and recycled decks
- 10-Year Limited Warranty on shelter structures and shade fabric
- 7-Year Limited Warranty on textured polyethylene and thermoplastic coatings
- 5-Year Limited Warranty on site amenity frames, nets, and powder coat
- 3 Year Limited Warranty on electronic play
- 1-Year Limited Warranty on moving parts, cables, and materials not covered above

The Limited Warranty excludes abnormal conditions, contingent liability, cosmetic defects such as scratches, dents, marring, stripping, peeling, or fading; damage due to incorrect installation, vandalism, misuse, accident wear and tear from normal use; exposure to extreme weather, immersion in salt or chlorine water, damage due to sand, salt spray, or other abrasive and corrosive material; unauthorized repair or modification, abnormal use, or lack of maintenance. The warranty does not cover damages due to "acts of God" such as hail, flooding, lightning, tornadoes, sand storms, shifts of terrain, earthquakes, mudslides, and windstorms.

SRP does not warrant product for defects caused by erection, harsh site conditions, lack of maintenance, and/or other conditions beyond SRP's control. SRP will not be held responsible for any materials that were not properly stored prior to installation. SRP reserves the right to void the limited warranty if it not installed per the installation instructions and/or unauthorized modifications.

In the unlikely event of failure, SRP reserves the right to alter the design, color, or contributing factors to rectify the condition and help prevent any future reoccurrence(s). SRP has the option to repair or replace any defect in materials.

The warranty is void if any changes, modifications, additions, or attachments are made to the product without the written consent of the manufacturer.

Superior
RECREATIONAL PRODUCTS
A PLAYCORE Company

No signs, objects, ornaments, fans, lights, fixtures, or decorations may be hung from the structure unless specifically designed and engineered by the manufacturer or has manufacturers written approval.

SRP excludes any implied warranty of merchantability, fitness, or purpose, and there are no warranties which extend beyond the description of the face hereof. Under no circumstances will SRP be responsible for any indirect, special, consequential, incidental, or liquidated damages due to breach of warranty and such damages are specifically excluded from the warranty.

The owner shall notify SRP with original Sales Order Number issued from SRP to arrange for an inspection within 30 days after discovery of any defect under this warranty and before any alteration or repair is made or attempted. This Limited Warranty shall be null and void if the owner makes any alterations in design.

This warranty is the only express warranty given by the company. No person has authority to change or add to these obligations and liabilities. The company reserves the right to determine whether the fault is caused by faulty workmanship, material, or the part that is defective.

SRP will repair or replace at its discretion any defective part/s on an Ex-Works basis only. It is the responsibility of the customer to return the whole unit or the defective part/s at their own cost back to SRP for inspection along with proof of the date of purchase. SRP will not be liable for any costs incurred by the customer as a result of replacing the defective part/s, including but not limited to the costs of site visits and the labor costs involved with the removal and reinstallation of the whole unit or the defective part/s. Furthermore SRP will not be liable for any claimed compensation while the unit is not working or not present at the site whatsoever. This guarantee does not entitle the customer to a complete new product due to a defective component.

Limited Warranty: Structural Steel

Shade | SRP offers a 20-year Limited Warranty on structural steel frames for shade canopies against failure due to rust-through corrosion under normal environmental conditions. Should the fabric or parts need to be replaced under the warranty, SRP will manufacture and ship new replacement parts at no charge for the first ten years, thereafter pro-rated at 10% per annum over the last ten years.

Shelter | SRP offers a 10-year Limited Warranty on structural steel frames against failure due to rust-through corrosion under normal environmental conditions. Should the parts need to be replaced under the warranty, SRP will manufacture and ship new replacement parts at no charge for the first six years, thereafter pro-rated at 18% per annum over the last four years.

Site Amenities | SRP offers a 5-year Limited Warranty on structural supports for tables and benches to the original purchaser to be free of rust outs that would compromise structural integrity.

Superior
RECREATIONAL PRODUCTS
A PLAYCORE COMPANY

Playgrounds | SRP offers a *Lifetime Limited Warranty on structural steel frames against failure due to rust-through corrosion under normal environmental conditions. Should the parts need to be replaced under the warranty, SRP will manufacture and ship new replacement parts at no charge for the first ten years, thereafter pro-rated at 50% for the second ten years and 25% from there on.

All Steel | Workmanship is warranted for a period of five years. This steel warranty shall be void if damage to the steel is caused by the installer or from physical damage, damage by salt spray or sprinkler systems, contact with chemicals, chlorine, pollution, misuse, vandalism, or any act of God.

Limited Warranty: Powder Coat

Superior Recreational Products offers a 5-year Limited Warranty for powder coating to the original purchaser. This Limited Warranty is for factory applied finish only. Damage occurring from shipping, erection, vandalism, accidents, or field modification is not covered in this limited warranty and will require field touch-up immediately and periodically thereafter. The owner must report any defect in powder coat at the time the installation is completed. Not covered by this Limited Warranty are acute angles, welds, and end plates.

The Limited Warranty for powder coating provides the following after a 5-year exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized.

- The coatings shall retain their original color with a ΔE of <7.5 units for high chroma colors (yellows, reds, oranges, etc.) and a ΔE of<5.0 units for low chroma colors, when tested in accordance with ASTM D 2244.
- The coating shall retain a minimum of 50% of its original gloss level after washing, when tested in accordance with ASTM D 523.
- The coating shall exhibit chalking no worse than numerical rating of 6, when evaluated in accordance with ASTM D 659-80.

Stainless Steel Series Powered by Playdale Playgrounds

Playdale Playgrounds warrants its products to the original customer to be free from structural failure due to defect in materials or workmanship during normal use and installation in accordance with the published specifications. The warranty shall commence on the date of the invoice and terminate at the end of the period on the full warranty statement. The warranty is valid only if the products are installed properly and in conformance of the specifications, installation guides, Playdale Playgrounds design layout, and properly maintained in accordance with the maintenance schedule provided within the installation instructions. Playdale Playgrounds reserves the right to accept or reject any claim in whole or in part. Playdale Playgrounds will not accept the return of any product without prior approval by Playdale management.

Superior
RECREATIONAL PRODUCTS

Textured Polyethylene and Thermoplastic

SRP offers a 7-year Limited Warranty to the original purchaser of the products to be free of corrosion on seats and tops that results in bare metal exposure after the date of purchase, excluding any corrosion that may be the result of vandalism or intentional stripping of any of the coating.

Electronic Play

SRP guarantees the speakers, sound chips, and circuit boards used in the production of their electronic play products for 3 years against electronic failure caused by manufacturing defects. This guarantee does not include failure as a result of any form of misuse, vandalism, or neglect including, but not limited to, accidental damage while changing the batteries or servicing the internal electronics, a failure to follow the battery replacement guide, the troubleshooting guide, or the care and maintenance instructions for the electronics units.

Shade Fabric

Traditional shade fabric made with PTFE fiber that is high strength and low shrinkage and VALMEX® MEHATOP F 1 waterproof fabric, carries a 10-year limited warranty. This warranties that the sewing thread used on the traditional shade fabric will be free from defects in material and workmanship and will not be damaged by exposure to sunlight, weather, and water. All other warranties are disclaimed.

SRP fabrics carry a 10-year Limited Manufacturer's Warranty from the date of delivery against failure from significant fading**, deterioration, breakdown, outdoor heat, cold, or discoloration. Should the fabric need to be replaced under the warranty, SRP will manufacture and ship new fabric at no charge for the first six years, thereafter pro-rated at 18% per annum over the last four years.

**The colors red and yellow are warranted against significant fading for only two years. If the corners of the fabric are equipped with both holes in the fabric corner PLUS reinforcing straps, BOTH the strap and fabric hole must be placed over each corner hook or the fabric warranty is void.

Fabric curtains, valences, or flat vertical panels are not covered under the warranty.

Fabric is not warranted where it is installed on a structure that is not engineered and built by SRP or its agents.

This warranty shall be void if damage to or failure to the shade is caused by contact with chemicals, chlorine, bleaching agents, hydrocarbons or hydrocarbon containing solvents, misuse, vandalism, or any act of God, including but not limited to wind in excess of the wind limitations set forth below.

All fabric tops are warranted for sustained winds up to 76mph (Hurricane Force 1) and for gusts of up to 3 seconds duration up to 90mph. Removal of the shade fabric is required if damaging winds are called for. Damage due to snow and/or ice accumulation is not covered by this warranty. Canopies should be removed during the "off season."

Superior
RECREATIONAL PRODUCTS

These structures have been designed to eliminate any friction between the rafters and the fabric. The warranty will, therefore, be voided if any modification (temporary or permanent) is made to the rafter, cross pieces, or ridge beams, or if the fastening apparatus or canopy are not secured accordingly.

Structures are warranted for winds up to 90 or 105 mph only if shade canopies have been removed as per requirement set forth above in the fabric paragraph. Removal and re-installation must be performed by a qualified person or authorized dealer.

Pricing Policy

All prices are F.O.B. factor and do not include freight, installation, shipping and handling, surfacing, or applicable taxes. All prices listed were current at the time of printing and in U.S. currency. Prices are subject to change without notice.

Cancellation and Return Policy

To view our return policy, please visit superiorrecreationalproducts.com/returns. For Information on Return Material Authorizations please call 1.800.327.8774.

Shipping Policy

To view our shipping policy, please visit superiorrecreationalproducts.com/shipping. For any further information please call 1.800.327.8774.

**For the purpose of this warranty, lifetime encompasses no specific term of years, but rather that seller warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all parts will be free from defects in materials and manufacturing workmanship. This warranty does not cover damage caused by vandalism, misuse or abuse, altered or modified parts, or cosmetic damage such as scratches, dents, or fading or weathering and normal wear and tear. This warranty is valid only if the structures are installed in conformity with instructions provided by Superior Recreational Products using approved Superior Recreational Products parts. Superior Recreational Products will deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the labor costs of replacement. Warranty claims must be filed within the applicable warranty period and accompanied by a sales order or invoice number.*

Superior
RECREATIONAL PRODUCTS
A PLAYCORE company

Superior Recreational Products Comprehensive Warranty

Limited Warranty: Product

Superior Recreational Products (SRP) warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once SRP has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by SRP, good construction practices, and has been subjected only to normal use and exposure.

- Lifetime* Warranty on playground steel and recycled posts, all stainless steel hardware, c-line fittings, and aluminum post caps
- 20-Year Limited Warranty on steel shade framework
- 15-Year Limited Warranty on playground pipes, rungs, loops and rails, roto-molded plastics, HDPE plastic sheets, punched steel decks, and recycled decks
- 10-Year Limited Warranty on shelter structures and shade fabric
- 7-Year Limited Warranty on textured polyethylene and thermoplastic coatings
- 5-Year Limited Warranty on site amenity frames, nets, and powder coat
- 3 Year Limited Warranty on electronic play
- 1-Year Limited Warranty on moving parts, cables, and materials not covered above

The Limited Warranty excludes abnormal conditions, contingent liability, cosmetic defects such as scratches, dents, marring, stripping, peeling, or fading; damage due to incorrect installation, vandalism, misuse, accident wear and tear from normal use; exposure to extreme weather, immersion in salt or chlorine water, damage due to sand, salt spray, or other abrasive and corrosive material; unauthorized repair or modification, abnormal use, or lack of maintenance. The warranty does not cover damages due to "acts of God" such as hail, flooding, lightning, tornadoes, sand storms, shifts of terrain, earthquakes, mudslides, and windstorms.

SRP does not warrant product for defects caused by erection, harsh site conditions, lack of maintenance, and/or other conditions beyond SRP's control. SRP will not be held responsible for any materials that were not properly stored prior to installation. SRP reserves the right to void the limited warranty if it not installed per the installation instructions and/or unauthorized modifications.

In the unlikely event of failure, SRP reserves the right to alter the design, color, or contributing factors to rectify the condition and help prevent any future reoccurrence(s). SRP has the option to repair or replace any defect in materials.

The warranty is void if any changes, modifications, additions, or attachments are made to the product without the written consent of the manufacturer.

Superior
RECREATIONAL PRODUCTS
A [illegible] COMPANY

No signs, objects, ornaments, fans, lights, fixtures, or decorations may be hung from the structure unless specifically designed and engineered by the manufacturer or has manufacturers written approval.

SRP excludes any implied warranty of merchantability, fitness, or purpose, and there are no warranties which extend beyond the description of the face hereof. Under no circumstances will SRP be responsible for any indirect, special, consequential, incidental, or liquidated damages due to breach of warranty and such damages are specifically excluded from the warranty.

The owner shall notify SRP with original Sales Order Number issued from SRP to arrange for an inspection within 30 days after discovery of any defect under this warranty and before any alteration or repair is made or attempted. This Limited Warranty shall be null and void if the owner makes any alterations in design.

This warranty is the only express warranty given by the company. No person has authority to change or add to these obligations and liabilities. The company reserves the right to determine whether the fault is caused by faulty workmanship, material, or the part that is defective.

SRP will repair or replace at its discretion any defective part/s on an Ex-Works basis only. It is the responsibility of the customer to return the whole unit or the defective part/s at their own cost back to SRP for inspection along with proof of the date of purchase. SRP will not be liable for any costs incurred by the customer as a result of replacing the defective part/s, including but not limited to the costs of site visits and the labor costs involved with the removal and reinstallation of the whole unit or the defective part/s. Furthermore SRP will not be liable for any claimed compensation while the unit is not working or not present at the site whatsoever. This guarantee does not entitle the customer to a complete new product due to a defective component.

Limited Warranty: Structural Steel

Shade | SRP offers a 20-year Limited Warranty on structural steel frames for shade canopies against failure due to rust-through corrosion under normal environmental conditions. Should the fabric or parts need to be replaced under the warranty, SRP will manufacture and ship new replacement parts at no charge for the first ten years, thereafter pro-rated at 10% per annum over the last ten years.

Shelter | SRP offers a 10-year Limited Warranty on structural steel frames against failure due to rust-through corrosion under normal environmental conditions. Should the parts need to be replaced under the warranty, SRP will manufacture and ship new replacement parts at no charge for the first six years, thereafter pro-rated at 18% per annum over the last four years.

Site Amenities | SRP offers a 5-year Limited Warranty on structural supports for tables and benches to the original purchaser to be free of rust outs that would compromise structural integrity.

Superior
RECREATIONAL PRODUCTS
PLAYCORE

Playgrounds | SRP offers a *Lifetime Limited Warranty on structural steel frames against failure due to rust-through corrosion under normal environmental conditions. Should the parts need to be replaced under the warranty, SRP will manufacture and ship new replacement parts at no charge for the first ten years, thereafter pro-rated at 50% for the second ten years and 25% from there on.

All Steel | Workmanship is warranted for a period of five years. This steel warranty shall be void if damage to the steel is caused by the installer or from physical damage, damage by salt spray or sprinkler systems, contact with chemicals, chlorine, pollution, misuse, vandalism, or any act of God.

Limited Warranty: Powder Coat

Superior Recreational Products offers a 5-year Limited Warranty for powder coating to the original purchaser. This Limited Warranty is for factory applied finish only. Damage occurring from shipping, erection, vandalism, accidents, or field modification is not covered in this limited warranty and will require field touch-up immediately and periodically thereafter. The owner must report any defect in powder coat at the time the installation is completed. Not covered by this Limited Warranty are acute angles, welds, and end plates.

The Limited Warranty for powder coating provides the following after a 5-year exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized.

- The coatings shall retain their original color with a ΔE of <7.5 units for high chroma colors (yellows, reds, oranges, etc.) and a ΔE of<5.0 units for low chroma colors, when tested in accordance with ASTM D 2244.
- The coating shall retain a minimum of 50% of its original gloss level after washing, when tested in accordance with ASTM D 523.
- The coating shall exhibit chalking no worse than numerical rating of 6, when evaluated in accordance with ASTM D 659-80.

Stainless Steel Series Powered by Playdale Playgrounds

Playdale Playgrounds warrants its products to the original customer to be free from structural failure due to defect in materials or workmanship during normal use and installation in accordance with the published specifications. The warranty shall commence on the date of the invoice and terminate at the end of the period on the full warranty statement. The warranty is valid only if the products are installed properly and in conformance of the specifications, installation guides, Playdale Playgrounds design layout, and properly maintained in accordance with the maintenance schedule provided within the installation instructions. Playdale Playgrounds reserves the right to accept or reject any claim in whole or in part. Playdale Playgrounds will not accept the return of any product without prior approval by Playdale management.

Superior
RECREATIONAL PRODUCTS
A PLAYCORE COMPANY

Textured Polyethylene and Thermoplastic

SRP offers a 7-year Limited Warranty to the original purchaser of the products to be free of corrosion on seats and tops that results in bare metal exposure after the date of purchase, excluding any corrosion that may be the result of vandalism or intentional stripping of any of the coating.

Electronic Play

SRP guarantees the speakers, sound chips, and circuit boards used in the production of their electronic play products for 3 years against electronic failure caused by manufacturing defects. This guarantee does not include failure as a result of any form of misuse, vandalism, or neglect including, but not limited to, accidental damage while changing the batteries or servicing the internal electronics, a failure to follow the battery replacement guide, the troubleshooting guide, or the care and maintenance instructions for the electronics units.

Shade Fabric

Traditional shade fabric made with PTFE fiber that is high strength and low shrinkage and VALMEX® MEHATOP F 1 waterproof fabric, carries a 10-year limited warranty. This warranties that the sewing thread used on the traditional shade fabric will be free from defects in material and workmanship and will not be damaged by exposure to sunlight, weather, and water. All other warranties are disclaimed.

SRP fabrics carry a 10-year Limited Manufacturer's Warranty from the date of delivery against failure from significant fading**, deterioration, breakdown, outdoor heat, cold, or discoloration. Should the fabric need to be replaced under the warranty, SRP will manufacture and ship new fabric at no charge for the first six years, thereafter pro-rated at 18% per annum over the last four years.

**The colors red and yellow are warranted against significant fading for only two years. If the corners of the fabric are equipped with both holes in the fabric corner PLUS reinforcing straps, BOTH the strap and fabric hole must be placed over each corner hook or the fabric warranty is void.

Fabric curtains, valences, or flat vertical panels are not covered under the warranty.

Fabric is not warranted where it is installed on a structure that is not engineered and built by SRP or its agents.

This warranty shall be void if damage to or failure to the shade is caused by contact with chemicals, chlorine, bleaching agents, hydrocarbons or hydrocarbon containing solvents, misuse, vandalism, or any act of God, including but not limited to wind in excess of the wind limitations set forth below.

All fabric tops are warranted for sustained winds up to 76mph (Hurricane Force 1) and for gusts of up to 3 seconds duration up to 90mph. Removal of the shade fabric is required if damaging winds are called for. Damage due to snow and/or ice accumulation is not covered by this warranty. Canopies should be removed during the "off season."

Superior
RECREATIONAL PRODUCTS
A PLAYCORE Company

These structures have been designed to eliminate any friction between the rafters and the fabric. The warranty will, therefore, be voided if any modification (temporary or permanent) is made to the rafter, cross pieces, or ridge beams, or if the fastening apparatus or canopy are not secured accordingly.

Structures are warranted for winds up to 90 or 105 mph only if shade canopies have been removed as per requirement set forth above in the fabric paragraph. Removal and re-installation must be performed by a qualified person or authorized dealer.

Pricing Policy

All prices are F.O.B. factor and do not include freight, installation, shipping and handling, surfacing, or applicable taxes. All prices listed were current at the time of printing and in U.S. currency. Prices are subject to change without notice.

Cancellation and Return Policy

To view our return policy, please visit superiorrecreationalproducts.com/returns. For Information on Return Material Authorizations please call 1.800.327.8774.

Shipping Policy

To view our shipping policy, please visit superiorrecreationalproducts.com/shipping. For any further information please call 1.800.327.8774.

**For the purpose of this warranty, lifetime encompasses no specific term of years, but rather that seller warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all parts will be free from defects in materials and manufacturing workmanship. This warranty does not cover damage caused by vandalism, misuse or abuse, altered or modified parts, or cosmetic damage such as scratches, dents, or fading or weathering and normal wear and tear. This warranty is valid only if the structures are installed in conformity with instructions provided by Superior Recreational Products using approved Superior Recreational Products parts. Superior Recreational Products will deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the labor costs of replacement. Warranty claims must be filed within the applicable warranty period and accompanied by a sales order or invoice number.*

KRAFTSMAN COMMERCIAL PLAYGROUNDS AND WATER PARKS
19535 Haude Road
Spring, Texas 77388
www.kraftsmanplay.com
800-451-4869

Kraftsman Commercial Playgrounds & Water Parks

Kraftsman Commercial Playgrounds & Water Parks is a successful, family owned and operated business with over 38 years of experience providing recreational solutions in Texas, Louisiana, and Oklahoma. Our customers and their clients are Kraftsman's number one concern when designing, constructing, and/or supplying recreational facilities and products. We pride ourselves in providing professional service and attention during all phases of a project- planning assistance, turnkey construction, and service after completion of the project.

Kraftsman represents and installs several lines of high-quality playground and park equipment. Our product line includes traditional and non-traditional play structures for all age groups; safety surfacing; park amenities such as tables, benches, and litter receptacles; fitness and sports equipment; park shelters and pavilions; shade canopies; sports equipment; skate ramps and rails; water slides and SplashParks. We are your complete park equipment and service solution.

HISTORY

- 1981 - Kraftsman Playground and Park Equipment started by Michelle & Mark Soderberg as a retail sales and manufacturer of residential wood playgrounds.
- 1983 – Commercial sales added.
- 1986 - Incorporated as Playkraft, Inc. dba Kraftsman Playground & Park Equipment, 100% ownership by Michelle Soderberg.
- 1996 - Discontinued manufacturing and focused on acting as a manufacturer's representative and providing installation service for commercial playgrounds and park equipment.
- 2002 - Introduced Water Parks (SplashParks). SplashParks are a popular and proven way to utilize public recreation facilities, either as an alternative to pools or as a companion to a pool area.
- 2007 - Business reorganized as Kraftsman LP (dba Kraftsman Commercial Playgrounds and Water Parks), as a partnership for continuation of and replacement for Playkraft, Inc.
    - Michelle Soderberg - 26% ownership
    - Mark Soderberg - 25% ownership
    - Korey Soderberg – 24% ownership
    - Kris Soderberg – 24% ownership
    - KPPE, LLC, general partner - 1% ownership
- 2013 – Kraftsman achieved sales of $10 million.
- 2018 – Kraftsman achieved sales of $20 million.

KRAFTSMAN COMMERCIAL PLAYGROUNDS AND WATER PARKS
19535 Haude Road
Spring, Texas 77388
www.kraftsmanplay.com
800-451-4869

Kraftsman LP, dba Kraftsman Commercial Playgrounds & Water Park Equipment does not manufacture any equipment but buys all products from leading manufacturers in the marketplace and offers professional installations.

Kraftsman LP continues Playkraft Inc.'s history of professional installation, design, construction, and creation of exciting play and park areas.

QUALIFICATIONS & RECENT EXPERIENCE

Since 1981, we have worked with thousands of customers from all public and private market sectors – parks & recreation departments, builders and developers, architects, aquatic facility designers, apartments, schools, churches, subdivisions, and community associations. Our team or "krew" as we like to call them, have completed large and involved projects for playground equipment, park construction, and SplashParks.

- Sales and installations of over 350 successful SplashParks and aquatic centers in Texas and neighboring states.
- Construction and/or remodeling of SplashParks, interactive water features, and architectural fountains.
- General contracting for complete park construction.
- Sales and installations of:
  - Multi lines of top quality traditional and nontraditional playground products and outdoor recreational park equipment.
  - Shade structures for pools, playgrounds, walkways, parking and other custom applications.
  - Park buildings including picnic shelters, pavilions, bridges, awnings and cabins.
  - Outdoor fitness equipment and Sports equipment including basketball goals, soccer goals, backstops, skate ramps and rails, and volleyball systems.
  - Site amenities including tables, benches, bike racks, grills, bleachers and litter receptacles.
  - Safety surfacing including shredded wood fiber, rubber surfacing, plastic curbing and ADA ramps.

OUR KREW

CEO:	*Michelle Soderberg*
General Manager:	*Mark Soderberg (AFO)*
COO:	*Korey Soderberg (AFO, CPSI)*
Vice President:	*Kris Soderberg (CPSI)*
CFO:	*Jim O'Neill CPA*

KRAFTSMAN COMMERCIAL PLAYGROUNDS AND WATER PARKS
19535 Haude Road
Spring, Texas 77388
www.kraftsmanplay.com
800-451-4869

SUPPORT KREW
Five full time office support staff to assist sales, construction, and installation.

SALES KREW
Eight full time salespeople covering all of Texas, Louisiana, and Oklahoma.

DESIGN KREW
Four full time CAD designers. In addition, our quality vendors offer design services.

PROJECT MANAGERS
Five full time Project Managers covering all of Texas, Louisiana, and Oklahoma.

INSTALLATION KREW
Competent, experienced krew knowledgeable in safe installation practices.

SERVICE KREW
Full-time Service Manager to handle any possible challenges that might arise after project completion.

WAREHOUSING CAPABILITIES
Kraftsman owns and maintains a warehouse over 10,000 square feet in size. This facility enables the reception and storage of products to eliminate the need to handle these functions at the jobsite. Inventory necessary for most service and repairs is also maintained at this warehouse.

CERTIFICATIONS FROM
AFO (Aquatic Facility Operator)
CPSI (Certified Playground Safety Inspector)
NPSI (National Playground Safety Institute)
NPCA (National Playground Contractors Association)
Water Odyssey™ by the Fountain People (equipment manufacturer)
Kraftsman Commercial Playgrounds and Water Parks

AFFILIATIONS
Association of Water Board Directors - Texas (AWBD)
Community Association Institutes (CAI): Houston, Dallas, Austin, San Antonio
National Recreation and Park Society (NRPA)
National Playground Contractors Association (NPCA)
Texas Apartment Association (TAA)
Texas Association of School Boards (TASB)
Texas Association of School Business Officials (TASBO)
Texas Chapter American Society of Landscape Architects (ASLA)
Texas Housing Association (THA)

KRAFTSMAN COMMERCIAL PLAYGROUNDS AND WATER PARKS
19535 Haude Road
Spring, Texas 77388
www.kraftsmanplay.com
800-451-4869

AFFILIATIONS (CONT.)
Texas Municipal League (TML)
Texas Public Pool Council (TPPC)
Texas Recreation and Park Society (TRAPS)
Texas Society of Architects (AIA)

BONDS
Completion and Payment Bonds are available, and issuable on a per contract basis, dependent on the time frame of the award of contracts and the notice to proceed.

BUSINESS AREAS
Approximately 50% of Kraftsman's completed work is in SplashParks and Aquatic Centers, and 50% is in park and recreation playground equipment, shelters and shade structures.

TECHNOLOGY
All Krew members are linked back to the main office utilizing a proprietary database for Klients and projects, along with Plangrid for ongoing projects and data management throughout the construction process. These allow for a unified, streamlined organization to exceed our Klient's expectations before, during, and after project kompletion.

KRAFTSMAN COMMERCIAL PLAYGROUNDS AND WATER PARKS
19535 Haude Road
Spring, Texas 77388
www.kraftsmanplay.com
800-451-4869

REFERENCES:

Sandy Jenkins
Parks & Recreation Department
City of San Antonio
114 W. Commerce, 10th Floor
San Antonio, Texas 78283
903.237.1037

Scott Johnson
Director, Parks & Recreation Department
City of Baytown
2407 Market Street
Baytown, Texas 77522-0424
281.420.6599

David Mills
Senior Architect
City of Dallas
1500 Marilla Street, 6FN
Dallas, TX 75201
214.670.1805

Adam Brewster
Architect
Dunaway Associates, L.P.
550 Bailey Avenue, Suite 400
Fort Worth, TX 76107
817.632.4768

Colleen Simpson
Parks & Recreation Director
City of Port Aransas
710 W Avenue A
Port Aransas, TX 78373
361.317.2473

Pat Schneider
Landscape Architect
City of San Antonio
PO Box 839966
San Antonio, TX 78283
210.207.8466

Scott Bradley
Parks Superintendent
City of La Porte
604 W Fairmont Parkway
La Porte, Texas 77571
281.470.5141


Merrie Talley
Principal/Owner
Talley Landscape Architects, Inc.
7637 Highway 36 N
Rosenburg, TX 77471
281.341.5601

Tara Klein
Owner
Four & One LLC
23544 Coons Road
Tomball, TX 77375
281.217.1113

Shawn Blackburn
Director, Parks & Recreation
City of Bay City
1901 5th Street
Bay City, TX 77414
979.323.1660

Chris Sager
Parks Manager
City of Lockhart
PO Box 239
Lockhart, TX 78644
512.398.6452


Kathleen Ownby
Executive Director
SPARK School Park Program
900 Bagby 2nd Floor
Houston, TX 77002
832.393.0911



Little Chocolate Bayou Playground by Kraftsman

PLAYGROUND PLAN SCHEDULE		
	DESCRIPTION	QTY
	BASE BID ITEM #3	
A	NAME: KPS-30093-R2 TYPE: CUSTOM RECYCLED CAPACITY:80 AGE:2-12 FALL HEIGHT: 6'	1
	BASE BID ITEM #4	
B	BENCH WITH BACK R6WBRCSM	1
	BASE BID ITEM #5	
C	TRASH RECEPTACLE TR32	1
	BASE BID ITEM #7	
D	ADA APPROVED EWF	7600 SF
	BASE BID ITEM #8	
E	4" THICK CONCRETE W/ TURNDOWN INTO EWF	2300 SF
	OWNER OPTION BID ITEM #01	
F	4 BAY SHADED SWING SET W/ 1 EA. WHEELCHAIR SWING (352 sf) 1 EA. TEAM SWING 1 EA. TOT SEAT BAY 1 EA. BELT SEAT BAY	1
	OWNER OPTION BID ITEM #02	
G	75' ZIP ADA COMPLIANT ZIP LINE	1
	OWNER OPTION BID ITEM #03	
H	ADA ACCESSIBLE MONKEY BAR MIN SURFACING NEEDED (418 sf)	1

PLAYGROUND PLAN SCHEDULE		
	DESCRIPTION	QTY
	OWNER OPTION BID ITEM #04	
I	STANDARD HEIGHT MONKEY BAR W/ RECYCLED POSTS	1
	OWNER OPTION BID ITEM #05	
J	WHEELCHAIR ACCESSIBLE MERRY GO ROUND - PLD001XXX MIN SURFACING NEEDED (450sf)	1
	OWNER OPTION BID ITEM #06	
K	PIG THEMED SPRING RIDER TFS0027XX	1
	OWNER OPTION BID ITEM #07	
L	HORSE THEMED SPRING RIDER TFS0026XX	1
	OWNER OPTION BID ITEM #08	
M	3 EA. RUBBER MUSHROOMS VARIED HEIGHTS	1
	OWNER OPTION BID ITEM #09	
N	INGROUND BONGO DRUMS 77136-IG	1
	OWNER OPTION BID ITEM #010	
O	CLIMB AND DISCOVER CAVE TFR0614XX	1
	OWNER OPTION BID ITEM #015	
P	TREE SLICE STEPPERS 5TS2.	1



PRELIMINARY DESIGN - NOT FOR CONSTRUCTION

Little Chocolate Bayou Park

Port Lavaca, Tx

Project 24679
Option 1

Sheet
K-2


Date
06.23.2021


Drawing Name
KPS-24679A-1.dwg


View
Playground Plan

Sales Representative
David Ondrias

BID ITEM 2







PRELIMINARY DESIGN - NOT FOR CONSTRUCTION

Little Chocolate Bayou Park Playground


Port Lavaca, TX

Project 24679 Option 1 | Sheet K.2.4A | Designer CPJ | Date 04.20.2021


Drawing Name KPS-24679 | View Playground Details | Sales Rep. Ed Puente




BID ITEM O3



BID ITEM O2



BID ITEM O5




BID ITEM O6




BID ITEM O15




BID ITEM O10



BID ITEM O7



BID ITEM 4



BID ITEM 5

PRELIMINARY DESIGN - NOT FOR CONSTRUCTION

THE FUN BUILDERS KRAFTSMAN KRAFTSMANPLAY.COM

Little Chocolate Bayou Park Playground

Port Lavaca, TX

Project 24679
Option 1

Drawing Name
KPS: 24679

Sheet
K 2.4B


Title
Playground Details

Designer
CPL


Date
04.20.2021

Sales Rep.
Ed Puente

BID ITEM 01




BID ITEM 08



BID ITEM 04



BID ITEM 09



PRELIMINARY DESIGN - NOT FOR CONSTRUCTION

Little Chocolate Bayou Park Playground

Port Lavaca, TX

Project 24679
Option 1

Sheet
KZ 4.0


Designer
CPJ


Date
04.20.2021

Drawing Name
KPS- 24679

View
Playground Details

Sales Rep
Ed Puente


TOP VIEW SHOWING BASE BID AND OWNER OPTIONS
PRELIMINARY DESIGN - NOT FOR CONSTRUCTION
THE FUN BUILDERS
KRAFTSMAN
KRAFTSMANPLAY.COM
Little Chocolate Bayou Park Playground
Port Lavaca, TX
Project 24679
Option 1
Drawing Name
KPS-24679A-1
Sheet
1 of 1
View
Playground Details
Designer
CPJ
Date
06.23.2021
Sales Rep
David Ondrias



Little Chocolate Bayou Park Playground

Port Lavaca, TX

Project 24679
Option 1

Sheet
K & B

Designer
CPI

Date
04.23.2021

Drawing Name
KPS-24679A-4

View
3D View

Sales Rep
David Ondrias



Free Hand Design - Not To Scale For Illustration

Little Chocolate Bayou Park Playground
Port Lavaca, TX

Project 24679
Option 1


Drawing Name
KPS-24679A-4

Sheet
3D View

Designer
CPJ

Date
06-23-2021

Sales Rep
David Ondrias



PRELIMINARY DESIGN - NOT FOR CONSTRUCTION

Little Chocolate Bayou Park Playground

Port Lavaca, TX

Project 24679
Option 1

Drawing Name
KPS-24679A-4


Sheet
K Sheet

View
Site View

Designer
CPJ

Date
06.23.2021

Sales Rep
David Ondrias



PRELIMINARY DESIGN - NOT FOR CONSTRUCTION

THE FUN BUILDERS
KRAFTSMAN
KRAFTSMANPLAY.COM

Little Chocolate Bayou Park Playground

Port Lavaca, TX

Project 24679 Option 1	Sheet 1 of 1	Designer CPJ	Date 06.23.2021
Drawing Name KPS-24679A-4	View 3D View		Sales Rep David Ondrias

Building Fun Since 1981!

THE FUN BUILDERS
KRAFTSMAN
KRAFTSMANPLAY.COM





We provide service to architects, cities, parks & recreation managers, engineers, churches, school systems and more.

Great parks don't just happen

they require planning and good planning is more than picking equipment up and "plopping it down."

Good planning means knowing as much about play as about play equipment. At Kraftsman, we know both! More importantly, we know how they work together to support development. Every good playground begins with the first step. At Kraftsman, we not only help you take that first step, we make sure it is in the right direction.

Our knowledgeable staff is capable of assisting you with every aspect of playground planning. From safety concerns through complex designs and installation issues, you will be guided each step of the way with confidence, which comes from years of experience.

We at Kraftsman work with our own qualified and dedicated playground installation krews, allowing us to give you a turn-key project. Every Kraftsman employee is committed to quality and we are ready to assist you in your next playground project!

Krasftsman has been serving Texas since 1981 and will continue to offer the same outstanding quality and Kraftsmanship that got us to where we are today -- a successful and growing company with many satisfied customers, a professional staff, and a reputation for providing only the best products and services available.

We design our *parks and playgrounds* to be fun **AND** safe!



Kraftsman is dedicated to providing a safe play environment. The U.S. Consumer Product Safety Commission (CPSC) Guidelines for Public Playground Safety states that the proper assembly and installation of playground equipment is crucial for structural integrity, stability, and overall safety.

CPSC Guidelines also call for resilient surfacing to be placed below and around all equipment. This helps to protect against and reduce injuries to children who might jump or fall while using the equipment. Surfacing materials can also reduce maintenance while improving the appearance of the site. Kraftsman Commercial Playground & Water Park Equipment offers a full range of services and products to provide you with professional installation of playground, park and water park equipment.

Kraftsman has been in business since 1981 and can provide installation services for all brands and styles of play equipment, aquatic SplashPark equipment, site amenities, sports goals, and skate parks.

Kraftsman can also provide a full range of resilient surfacing materials for placement below play systems. We offer professionally trained and certified staff, turn-key job site services and carry full insurance coverages for auto, workmans' compensation and $2 million in general liability.

We Provide

- Arrangement of shipping at reduced freight charges
- Design and autocad services
- Professional installation on site
- Resilient safety surfacing installation
- Future inspection and maintenance services
- Receiving of product at our warehouse to eliminate on site receiving and storage
- Site layout assistance for compliance with Federal Safety Guidelines

Plus

FREE On Site Evaluations


FREE Layout Assistance

FREE Personalized Design Help

FREE CAD Blocks and CSI Specifications

FREE Safe Zone and Ground Cover Assessment

FREE Consultation of ADA Compliance



Memories. Built Right Here.

CALL FOR A FREE QUOTE! **800.451.4869**

Our Services

PARK FURNISHINGS
Picnic Tables
Benches
Litter Receptacles
Grills
Bike Racks
Park Shelters
Gazebos
Bridges
Bleachers
Water Fountains
Shade Covers

PARK EQUIPMENT
Basketball
Volleyball
Tetherball
Soccer
Football
Exercise/Fitness Equipment

SERVICES
Design Assistance/CAD Blocks
Equipment Installation
Repairs to Existing Equipment
Safety & Maintenance Reviews

AQUATIC EQUIPMENT
Aquatic SplashParks
Water Slides
Pool Play Equipment

PLAYGROUND EQUIPMENT
Steel Play Equipment
Climbers
Swings
Spring Bouncers


SAFETY FALL SURFACES
Rubber Pre-Cast Tiles
Poured in Place Rubber
Engineered Wood Fiber Sand
Molded Plastic Timber Borders
Molded Plastic ADA Ramps


SKATE RAMPS
Ramps
Grind Rails




800.451.4869 info@kraftsmanplay.com kraftsmanplay.com 19535 Haude Road / Spring, TX 77388

General Product Specifications









We Use Quality *playground materials*

At Superior, we only use quality playground materials. **Our playgrounds are proudly made in the USA** and are built to last. Whether you are purchasing a climber or a full structure, we guarantee fun for years to come.

1

We offer the look and feel of wood without the unwanted maintenance.

Our recycled posts and decks look just like wood without the unwanted maintenance. These reinforced posts and decks are vandal resistant, protected from rotting or splitting, and have UV additives to protect them from fading. Additionally, this material is resistant to termites, salt spray, and the elements.

2

Our rotationally-molded plastics have anti-static inhibitors.

Our rotationally-molded plastics, such as those used for slides and tubes, are made of ¼" thick low-density polyethylene (LDPE). They are UV stabilized for reduced fading and also contain anti-static inhibitors.

3

Our Superdurable powder coat leaves your structure protected.

Our steel components are primed at the welded areas and coated with 3-5 mils of Superdurable powder coat to protect your playground from fading and rust. Additional extra-protection coating options for regions, such as coastal, are available.

4

Our textured HDPE panels are strong and UV stabilized.

Our ½" thick textured high density polyethylene is used for products such as our activity panels. With UV stabilization, we ensure your carefully selected color will remain bright and colorful for years to come. These panels are stain and graffiti resistant and will not splinter or crack.

5

Our modular shades block harmful UV rays.

Our shade fabric blocks 91%-99% of harmful UV rays, depending upon the color you've chosen. Our fabric is also flame retardant, with some of our color choices being California Fire Marshal certified.

6

We offer stainless steel hardware so you won't worry about rust.

99% percent of the hardware we use is stainless steel, with less than 1% being corrosion-resistant coated steel. Our hardware is packaged individually and labeled, allowing for more efficient installation.

Reimagining *how children play*

You want choices. We've got them; along with the design expertise to take your ideas and make them real. Whether you want long-lasting steel, recycled materials that stand up to harsh salt air, or an elaborate theme, let's combine your imagination with our expertise to reimagine the way children play.

STEEL ADVENTURE SERIES

This budget-friendly series (our PS3) offers design flexibility for small spaces, features integrated shade options, and uses no clamps or collars.

•3.5" Post System •Max 8' Deck Height •Designs for All Ages

STEEL EXPEDITION SERIES

With its sturdy design and C-line connection, this 5" steel post (our PS5) and deck system is easy to install, offers the most design flexibility, and is ideal for inclusive play designs.

•5" Post System •Max 8' Deck Height •Designs for Ages 2–12 Years

THEMED SERIES

There's no limit when designing a themed playground. Our talented team of skilled professionals can bring your ideas to life utilizing our Expedition or Recycled Series as the base.

•5" or 6" Post System •Max 8' Deck Height •Designs for All Ages


RECYCLED SERIES


Our recycled playgrounds are an ideal option for natural play or coastal environments. The decks, posts, and barriers utilize 100% recycled material.

•6" Post System •Max 8' Deck Height •Designs for All Ages

We've gone (even more) green. Check out our special section that features environmentally-friendly early childhood playground products powered by our Grounds For Play product line.



















Supporting *inclusive play*

The benefits of bringing your community together with an **inclusive playground** are immeasurable. Inclusive play environments provide unique opportunities for individuals of all ages and abilities to engage in their right to play. Outdoor play environments that break down both physical barriers to access and social barriers to participation can unite communities in meaningful ways!

POINTS TO CONSIDER

Access Points

Provide multiple opportunities for individuals to independently access play and engage in intuitive play patterns.

Integration

Include play events that children of all abilities can access throughout the play environment in order to encourage inclusion among all children.

Variety

Offer a balance of play activities that support the physical, social-emotional, sensory, cognitive, and communicative needs of all children.

We Meet or Exceed *industry standards*

In our effort to provide quality and safe play products for children, our products meet or exceed the standards set forth by the below organizations. Additionally, we follow our own strict in-house standards and guidelines.

International Play Equipment Manufacturers Association™

In the interest of playground safety, the International Play Equipment Manufacturers Association (IPEMA™) provides a third-party certification service whereby a designated independent laboratory, TÜV SÜD America Inc., (TÜV), validates an equipment manufacturer's certification of conformance to the standards below.

- ASTM F1487-11, excluding sections 7.1.1, 10 and 12.6.1: Standard Consumer Safety Performance Specification for Playground Equipment for Public Use
- CAN/CSA-Z614-14, excluding clauses 9.8, 10, and 11: Children's Playspaces and Equipment

A list of current validated products may be viewed on their website at www.ipema.org. SRP is a member of this organization.

American Society for Testing and Materials

The American Society for Testing and Materials (ASTM) is an independent and world renowned developer of technical standards utilized in testing a multitude of products. ASTM developed F1487 Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use. The current standard is F1487-11, published in 2011.

U.S. Consumer Product Safety Commission

The U.S. Consumer Product Safety Commission (CPSC) presents safety guidelines through the publication of their Public Playground Safety Handbook. This handbook promotes greater safety awareness among those who purchase, install, and maintain public playground equipment. The handbook can be viewed on the CPSC's website, cpsc.gov.

United States Access Board

The U.S. Access Board is a federal agency that promotes equality for people with disabilities. They've developed guidelines and standards for built environments, such as playgrounds.

ISO 9001 and ISO 14001

ISO industry certification processes are issued by International Organization for Standardization. ISO 9001 is used to measure manufacturing standards and to certify company compliance with quality management systems covering design, development, production, installation, inspection, and testing. ISO 4001, also known as the "Green Certification," specifies the requirements of an organization having an environmental management system (EMS). SRP's steel playground line is manufactured in an ISO 9001 and ISO 14001 certified facility.

PCI 4000

Certification by the Powder Coating Institute recognizes competency and processes in place to consistently produce high-quality powder coated products. PCI certification is the result of an extensive and rigorous audit process and SRP's steel playground manufacturing facility has this certification.

In-House Standards

At Superior, we only use quality playground materials. Our playgrounds are proudly made in the USA and are built to last.

To ensure the safest play for your children, we offer:

- Quality control inspection on all parts and shipments
- All products must pass inspection in our IPEMA Certified In-House Testing Facility
- In-house production of most products
- All products meet or exceed CPSC, ASTM, and ADA Safety Guidelines
- On-staff CPSI certified employees
- Local field factory trained installation technicians
- Direct connect component attachment system
- Products constructed from Allied's heavy-wall galvanized steel tubing, which is protected by Allied's patented Flo-Coat™ process that uses triple-coat corrosion protection (zinc, conversion coating, and clear topcoat) to provide a smooth, shiny appearance that is unmatched in strength and durability

We Use Quality Playground Materials

Learn more about the materials we use in our playgrounds by visiting <u>srpplayground.com/playground-materials</u>.

Our Leading Warranty

Our warranty guarantees years of unlimited fun. **View our full warranty by visiting us online at srpplayground.com/warranty.**

Superior Recreational Products (SRP) warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once SRP has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by SRP, good construction practices, and has been subjected only to normal use and exposure.

- Lifetime* Warranty on playground steel and recycled posts, all stainless steel hardware, c-line fittings, and aluminum post caps
- 20-Year Limited Warranty on steel Shade structures
- 15-Year Limited Warranty on playground pipes, rungs, loops and rails, roto-molded plastics, HDPE plastic sheets, punched steel decks, and recycled decks
- 10-Year Limited Warranty on shade fabric and Ascend Rope Climber cable breakage
- 5-Year Limited Warranty on powder coat and netting cable
- 3-Year Limited Warranty on electronic play and Ascend Rope Climber flexible rubber belting
- 1-Year Limited warranty on moving parts, Shade cable, and materials not covered above

Limited Warranty: Structural Steel
SRP offers a *Lifetime Limited Warranty on structural steel frames against failure due to rust-through corrosion under normal environmental conditions. Should the parts need to be replated under the warranty, SRP will manufacture and ship new replacement parts at no charge for the first ten years, thereafter pro-rated at 50% for the second ten years and 25% from there on. Workmanship is warranted for a period of five years. This steel warranty shall be void if damage to the steel is caused by the installer or from physical damage, damage by salt spray or sprinkler systems, contact with chemicals, chlorine, pollution, misuse, vandalism, or any act of God.

Limited Warranty: Powder Coat
Superior Recreational Products offers a 5-year Limited Warranty for powder coating to the original purchaser. This Limited Warranty is for factory applied finish only. Damage occurring from shipping, erection, vandalism, accidents, or field modification is not covered in this limited warranty and will require field touch-up immediately and periodically thereafter. The owner must report any defect in powder coat at the time the installation is completed. Not covered by this Limited Warranty are acute angles, welds, and end plates.

The Limited Warranty for powder coating provides the following after a 5-year exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized.


- The coatings shall retain their original color with a ΔE of <7.5 units for high chroma colors (yellows, reds, oranges, etc.) and a ΔE of<5.0 units for low chroma colors, when tested in accordance with ASTM D 2244.
- The coating shall retain a minimum of 50% of its original gloss level after washing, when tested in accordance with ASTM D 523.
- The coating shall exhibit chalking no worse than numerical rating of 6, when evaluated in accordance with ASTM D 659-80.

Stainless Steel Series (Powered by Playdale Playgrounds)
Playdale Playgrounds warrants its products to the original customer to be free from structural failure due to defect in materials or workmanship during normal use and installation in accordance with the published specifications. The warranty shall commence on the date of the invoice and terminate at the end of the period on the full warranty statement. The warranty is valid only if the products are installed properly and in conformance of the specifications, installation guides, Playdale Playgrounds design layout, and properly maintained in accordance with the maintenance schedule provided within the installation instructions. Playdale Playgrounds reserves the right to accept or reject any claim in whole or in part. Playdale Playgrounds will not accept the return of any product without prior approval by Playdale management.

Electronic Play
SRP guarantees the speakers, sound chips, and circuit boards used in the production of their electronic play products for 3 years, against electronic failure caused by manufacturing defects. This guarantee does not include failure as a result of any form of misuse, vandalism or neglect including, but not limited to accidental damage while changing the batteries or servicing the internal electronics, a failure to follow the battery replacement guide, the troubleshooting guide or the care and maintenance instructions for the electronics units.

Pricing, Cancellation, Return, and Shipping Policies
All prices are F.O.B. factor and do not include freight, installation, shipping and handling, surfacing, or applicable taxes. All prices listed were current at the time of printing and in U.S. currency. Prices are subject to change without notice. To view our return policy, please visit superiorrecreationalproducts.com/returns. For information on Return Material Authorizations please call 1.800.327.8774. To view our shipping policy, please visit superiorrecreationalproducts.com/shipping. For any further information, please call 1.800.327.8774.

**For the purpose of this warranty, lifetime encompasses no specific term of years, but rather that suite warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all parts will be free from defects in materials and manufacturing workmanship. This warranty does not cover damage caused by vandalism, misuse or abuse, altered or modified parts, or cosmetic damage such as scratches, dents, or fading or weathering and normal wear and tear. This warranty is valid only if the structures are installed in conformity with instructions provided by Superior Recreational Products using approved Superior Recreational Products parts. Superior Recreational Products will deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the labor costs of replacement. Warranty claims must be filed within the applicable warranty period and accompanied by a sales order or invoice number.*



Quality Playground Materials

At Superior Playgrounds, we use only quality playground materials — whether purchasing a steel or recycled structure. Our playgrounds are proudly made in the USA so you can trust our playgrounds are built to last and will provide fun for years to come.

We use 30% recycled galvanized steel posts and tubing.

We use galvanized steel for all steel posts and tubing for maximum strength and durability. Both the interior and exterior of all of our galvanized steel parts have been through the Triple Flo-Coat® process to ensure greater corrosion resistance. All galvanized steel posts and tubing are 95%-98% recyclable. Our posts are available in two different size options to meet your design and budget needs.

3.5" Commercial Playground Series
- 3.5" O.D. vertical posts
- 36" deck grid / 46.5" deck grid
- 24" diameter plastic / 30" diameter plastic

5" Commercial Playground Series
- 5" O.D. vertical posts
- 48" deck grid
- 30" diameter plastic

Tubing
- Contains a minimum of 30% recycled steel and is 95%-98% recyclable
- Triple Flo-Coated corrosion protection (interior and exterior)
- Interior and exterior corrosion resistance (ASTM B-117)
- Manufactured per ASTM A570
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)

Vertical Posts (Round Steel Tubing)
- 13 gauge galvanized steel (3.5" Series)
- 11 gauge galvanized steel (5" Series)
- 11 gauge galvanized steel (shade verticals)
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)
- Triple Flo-Coated corrosion protection - interior and exterior (ASTM B-117)
- Contains a minimum of 30% recycled steel and is 95%-98% recyclable
- Manufactured per ASTM A570


1.25" O.D. Round	14 gauge galvanized steel
1.66" O.D. Round	13 gauge galvanized steel
1.90" O.D. Round	11 gauge galvanized steel
2.375" O.D. Round	3 gauge galvanized steel / 9 gauge steel (Bi-pod/ Tri-pod top bar/fitness frame)
3.5" O.D. Round	13 gauge galvanized steel (3.5" Series)
4" O.D. Square	11 gauge galvanized steel
5" O.D. Round	11 gauge galvanized steel (5" Series)

We offer the look and feel of wood without the unwanted maintenance.

Our 100% recycled (excluding additives and colorants) HDPE posts are made from both pre-consumer and post-consumer plastic, like milk jugs and detergent bottles! Every pound of our recycled plastic lumber equates to 8 recycled milk containers. Neat, right? We ensure our recycled posts are reinforced for even greater strength by adding additional fiberglass elements to each post. Our posts are vandal resistant and protected from rotting, splitting, cracking or splinters for a minimum of 50 years. Additionally the posts have minimal fading and are resistant to termites, marine borers, salt spray, oil and fungus.

- 6"x6" dimensions for vertical posts
- Made of HDPE
- Molded in one piece
- UV additives to prevent deterioration from UV light
- Made of 100% recycled material (post-industrial and post-consumer) excluding additives and colorants
- Will not rot, split, crack or splinter for a minimum of 50 years
- Resistant to termites, marine borers, salt spray, oil, and fungus


Our textured high density polyethylene is strong and UV stabilized.



Our strong ¾" thick, textured high density polyethylene material is used for our activity panels, signs, tables, and even some of our climbers! With UV stabilization, we ensure your carefully selected color will remain bright and colorful for years to come. Additionally, these panels are stain and graffiti resistant and will not splinter or crack.

- 0.75" high density polyethylene sheeting (HDPE)
- Tested in accordance with ASTM D1928 Procedure C
- Density per ASTM D1505
- Melt Index per ASTM D1238
- Tensile Strength and Ultimate Elongation per ASTM D638 Type 4
- Brittleness temperature per ASTM D746
- Flexural modulus per ASTM D790
- Coefficient of linear thermal expansion per ASTM E831
- Textured, matte finish
- UV stabilized
- UL 94 HB fire rating
- Stain and graffiti resistant and will not delaminate, splinter or crack


Our rotationally-molded plastics have anti-static inhibitors.



Our rotationally-molded plastics, such as those used for slides and tubes, is made of ⅜" thick low density polyethylene (LDPE). Not only are our rotationally-molded plastics UV stabilized for reduced fading, they also contain anti-static inhibitors. Strong and durable, components made of this material are ready to withstand many long days at the playground.

- 1st quality linear low density Polyethylene (LDPE)
- Rotational molded with mold-in graphics (where applicable)
- 0.375" wall thickness
- 2,550 psi tensile strength (ASTM D638)
- Melt Index per ASTM D1238
- Density per ASTM D4883
- Peak crystallization temperature per ASTM D3418
- Flexural modulus per ASTM D790 Procedure B
- Deflection temperature under load per ASTM D648
- Environmental stress crack resistance, F50 per ASTM D1693 Condition A
- UV stabilized / UV 8 Rating (tested per ASTM G155 cycle 1 guidelines)
- Anti-static inhibitors

Our Superdurable powder coat process will leave your structure protected.




Initially blasted to a 'white' condition to remove all surface rust and oil, our steel frames are coated electrostatically with an epoxy TGIC powder coat zinc-rich primer, which has been salt spray tested for over 4,000 hours to ensure quality. After the primer application, we apply a Superdurable polyester TGIC powder coat. After the application of the final coat, a total of 6 mils of finished powder coat has been applied to your product, leaving your playground protected from the sun.

- Backed by 5,000 hours of testing (ASTM Method B117).
- The Limited Warranty for Powder Coating provides for the following after a five year exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized.
- The coatings shall retain their original color with a ΔE of < 7.5 units for high chroma colors. (yellows, reds, oranges, etc.) and a ΔE of < 5.0 units for low chroma colors, when tested in accordance with ASTM D 2244.
- The coating shall retain a minimum of 50% of its original gloss level after washing, when tested in accordance with ASTM D 523.
- The coating shall exhibit chalking no worse than a numerical rating of 6, when evaluated in accordance with ASTM D 659-80.

We offer stainless steel hardware so you won't have to worry about rust.

99% of the hardware we use is stainless steel, with less then 1% of our hardware being corrosion-resistant coated steel. Our hardware is mostly vandal resistant, keeping your playground safe from tampering. Additionally and depending upon your design, we provide security patches to insure screws lock into vertical pipes. Our hardware is packaged individually and labeled allowing for more efficient installation.

- Made from stainless steel or corrosion-resistant coated steel
- Conforms to ANSI/ASCE-8-90 (stainless steel)
- Passed 100 hour salt test (corrosion-resistant coated steel)
- Security patch to insure screw locks into vertical pipe (where applicable)
- Most hardware is tamper resistant




Our steel decks and stairs are the thickest in the industry.

Our steel decks are formed from 12-gauge hot-rolled steel body — the thickest in the industry — and coated with UV stabilized PVC (plastisol) coating for a softer play surface. Additionally, they're sprayed with X-Tuff, a PVC textured coating that increases foot traction and support. Our decks are perforated for great drainage, are lead-free and have formed sides that are welded with reinforcements for an even stronger deck.

Decks, Platforms, Ramps, Bridges, Transfer Stations, Stairs, and Steps

- 12 gauge galvanneal steel body
- Formed sides with welded reinforcements (stairs have welded stringers)
- 0.625"x1" diameter slots after coating
- Decks for recycled structures have a plank pattern 5.625" wide with 0.3125" spacing after coating
- Plastisol coating
- Lead-free per 16 CFR Part 1303

Our post caps provide many great benefits.



From easy in-field installation to a unique two-color look, our aluminum alloy post caps offer many great benefits. Our super-tough post cap design allows for less water access, making our posts more durable in the field. Once installed the post caps can't be removed, stopping unwanted vandalism.

- Aluminum alloy (ZL101) aluminum series of tertiary alloys
- Tested using GB/T 1173-1995 (equivalent to ANSI 365.0 specified in ASTM B26/B26M
- Less than 40ppm of lead per IEC 62321:2008 Ed. 1 and US EPA 3050B: 1996
- Powder coat finish

Other Material Specifications:

C-LINE FITTINGS

- Aluminum alloy (ZL101, GB/T 1173-1995) aluminum series of tertiary alloys
- Less than 40ppm of lead per IEC 62321:2008 Ed. 1 and US EPA 3050B: 1996
- Mounts to vertical post with gasket and four 0.25"x1" self-tapping screws with patch
- Powder coat finish

SEALING GASKET

- Neoprene rubber
- 60 +/- 5 durometer hardness

SUPERIOR
RECREATIONAL PRODUCTS
A PLAYCORE Company

Playground General Product Specifications

At Superior Recreational Products, we use only quality playground materials — whether purchasing a steel or recycled structure. Our playgrounds are proudly made in the USA so you can trust our playgrounds are built to last and will provide fun for years to come.

Steel Posts and Tubing

We use galvanized steel for all steel posts and tubing for maximum strength and durability. Both the interior and exterior of all of our galvanized steel parts have been through the Triple Flo-Coat® process to ensure greater corrosion resistance. All galvanized steel posts and tubing are 95%–98% recyclable. Our posts are available in two different size options to meet your design and budget needs.

3.5" Commercial Playground Series
- 3.5" O.D. vertical posts
- 36" deck grid / 46.5" deck grid
- 24" diameter plastic / 30" diameter plastic

5" Commercial Playground Series
- 5" O.D. vertical posts
- 48" deck grid
- 30" diameter plastic

Vertical Posts (Round Steel Tubing)
- 13 gauge galvanized steel (3.5" Series)
- 11 gauge galvanized steel (5" Series)
- 11 gauge galvanized steel (shade verticals)
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)
- Triple Flo-Coated corrosion protection – interior and exterior (ASTM B-117)
- Contains a minimum of 30% recycled steel and is 95%–98% recyclable
- Manufactured per ASTM A500

Tubing
- Contains a minimum of 30% recycled steel and is 95%–98% recyclable
- Triple Flo-Coated corrosion protection (interior and exterior)
- Interior and exterior corrosion resistance (ASTM B-117)
- Manufactured per ASTM A500
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)

Overall Diameter	Tubing Shape	Material
1.25"	Round	14 gauge galvanized steel
1.66"	Round	13 gauge galvanized steel
1.90"	Round	11 gauge galvanized steel
2.375"	Round	3 gauge galvanized steel / 9 gauge steel (bi-pod/tri-pod top bar/fitness frame)
3.5"	Round	13 gauge galvanized steel (3.5" Series)
4"	Square	11 gauge galvanized steel
5"	Round	11 gauge galvanized steel (5" Series)

SUPERIOR
RECREATIONAL PRODUCTS
A PLAYCORE Company

[illegible]

Our 100% recycled (excluding additives and colorants) HDPE posts are made from both pre-consumer and post-consumer plastic, like milk jugs and detergent bottles! Every pound of our recycled plastic lumber equates to 8 recycled milk containers. Neat, right? We ensure our recycled posts are reinforced for even greater strength by adding additional fiberglass elements to each post. Our posts are vandal resistant and protected from rotting, splitting, cracking or splinters for a minimum of 50 years. Additionally the posts have minimal fading and are resistant to termites, marine borers, salt spray, oil and fungus.

- 6"x6" dimensions for vertical posts
- Made of HDPE
- Molded in one piece
- UV additives to prevent deterioration from UV light
- Made of 100% recycled material (post-industrial and post-consumer) excluding additives and colorants
- Will not rot, split, crack or splinter for a minimum of 50 years
- Resistant to termites, marine borers, salt spray, oil, and fungus

Textured High Density Polyethylene (HDPE) Panels

Our strong ¾" thick, textured high density polyethylene material is used for our activity panels, signs, tables, and even some of our climbers! With UV stabilization, we ensure your carefully selected color will remain bright and colorful for years to come. Additionally, these panels are stain and graffiti resistant and will not splinter or crack.

- 0.75" high density polyethylene sheeting (HDPE)
- Tested in accordance with ASTM D1928 Procedure C
- Density per ASTM D1505
- Melt Index per ASTM D1238
- Tensile Strength and Ultimate Elongation per ASTM D638 Type 4
- Brittleness temperature per ASTM D746
- Flexural modulus per ASTM D790
- Coefficient of linear thermal expansion per ASTM E831
- Textured, matte finish
- UV stabilized
- UL 94 HB fire rating
- Stain and graffiti resistant and will not delaminate, splinter, or crack

Rotationally-Molded Plastics

Our rotationally-molded plastics, such as those used for slides and tubes, is made of ¾" thick low density polyethylene (LDPE). Not only are our rotationally-molded plastics UV stabilized for reduced fading, they also contain anti-static inhibitors. Strong and durable, components made of this material are ready to withstand many long days at the playground.

- 1st quality linear low-density polyethylene (LDPE)
- Rotational molded
- Molded-in graphics (where applicable)
- 0.375" wall thickness
- 2,550 psi tensile strength (ASTM D638)
- Melt Index per ASTM D1238
- Density per ASTM D4883
- Peak crystallization temperature per ASTM D3418
- Flexural modulus per ASTM D790 Procedure B
- Deflection temperature under load per ASTM D648
- Environmental stress crack resistance, F50 per ASTM D1693 Condition A
- UV stabilized / UV 8 Rating (tested per ASTM G155 cycle 1 guidelines)
- Anti-static inhibitors

SUPERIOR
RECREATIONAL PRODUCTS
A PLAYCORE company

Superdurable Powder Coat

Initially blasted to a 'white' condition to remove all surface rust and oil, our steel frames are coated electrostatically with an epoxy TGIC powder coat zinc-rich primer, which has been salt spray tested for over 4,000 hours to ensure quality. After the primer application, we apply a Superdurable polyester TGIC powder coat. After the application of the final coat, a total of 6 mils of finished powder coat has been applied to your product, leaving your playground protected from the sun.

- Backed by 5,000 hours of testing (ASTM Method B117)
- The Limited Warranty for Powder Coating provides for the following after a five year exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized
- The coatings shall retain their original color with a ΔE of <7.5 units for high chroma colors, (yellows, reds, oranges, etc.) and a ΔE of < 5.0 units for low chroma colors, when tested in accordance with ASTM D 2244
- The coating shall retain a minimum of 50% of its original gloss level after washing, when tested in accordance with ASTM D 523
- The coating shall exhibit chalking no worse than a numerical rating of 6, when evaluated in accordance with ASTM D 659-80

Stainless Steel Hardware

99% of the hardware we use is stainless steel, with less then 1% of our hardware being corrosion-resistant coated steel. Our hardware is mostly vandal resistant, keeping your playground safe from tampering. Additionally and depending upon your design, we provide security patches to insure screws lock into vertical pipes. Our hardware is packaged individually and labeled allowing for more efficient installation.

- Made from stainless steel or corrosion-resistant coated steel
- Conforms to ANSI/ASCE-8-90 (stainless steel)
- Passed 100 hour salt test (corrosion-resistant coated steel)
- Security patch to insure screw locks into vertical pipe (where applicable)
- Most hardware is tamper resistant

Steel Decks, Platforms, Ramps, Bridges, Transfer Stations, Stairs, and Slopes

Our steel decks are formed from 12-gauge hot-rolled picked and oiled steel body — the thickest in the industry — and coated with UV stabilized PVC (plastisol) coating for a softer play surface. Additionally, they're sprayed with X-Tuff, a PVC textured coating that increases foot traction and support. Our decks are perforated for great drainage, are lead-free and have formed sides that are welded with reinforcements for an even stronger deck.

- 12 gauge HRPO per ASTM A1011
- Formed sides with welded reinforcements (stairs have welded stringers)
- 0.625"x1" diameter slots after coating
- Decks for recycled structures have a plank pattern 5.625" wide with 0.3125" spacing after coating
- Plastisol coating
- Lead-free per 16 CFR Part 1303

Post Caps

From easy in-field installation to a unique two-color look, our aluminum alloy post caps offer many great benefits. Our super-tough post cap design allows for less water access, making our posts more durable in the field. Once installed the post caps can't be removed, stopping unwanted vandalism.

- Aluminum alloy (ZL101) aluminum series of tertiary alloys
- Tested using GB/T 1173-1995 (equivalent to ANSI 365.0 specified in ASTM B26/B26M
- Less than 40ppm of lead per IEC 62321:2009 Ed. 1 and US EPA 3050B: 1996
- Powder coat finish

SUPERIOR
RECREATIONAL PRODUCTS
A PLASTICORE Company

Other Material

C-Line Fittings

- Aluminum alloy (ZL101, GB/T 1173-1995) aluminum series of tertiary alloys
- Less than 40ppm of lead per IEC 62321:2008 Ed. 1 and US EPA 3050B: 1996
- Mounts to vertical post with gasket and four 0.25"x1" self-tapping screws with patch
- Powder coat finish


Sealing Gaskets

- Neoprene rubber
- 60 +/- 5 durometer hardness

Color Options

Metal Colors

Gloss



Matte or Metallic




Plastic Colors




Activity Panel & Panel Colors

Solid Core




Sandwich Core



Shade Colors | More Available!



Steel Deck Colors




Recycled Deck & Post Colors




*May affect delivery lead time.

Ascend Rope Colors





Belt Seat Colors



Kraftsman Commercial Playgrounds & Water Parks
19535 Haude Rd.
Spring, TX 77388
800.451.4869
www.kraftsmanplay.com







Site Amenities

BY SUPERIOR RECREATIONAL PRODUCTS



SUPERIOR
RECREATIONAL PRODUCTS

DURABLE, COMFORTABLE, AFFORDABLE

Whether it's on a restaurant patio or in a hotel courtyard, commercial outdoor furniture can make all the difference in how an outdoor space looks and feels to patrons. That's why Site Amenities offers the durable, comfortable and affordable outdoor products to fully equip your organization's outdoor areas.

Our product line includes:

- Tables
- Benches
- Trash receptacles
- Ash urns
- Outdoor grills
- Fire rings
- Bike racks
- Custom pieces

Our products are designed to be practical and enjoyable for you and your guests. Whether you're equipping an elementary school park, a community recreational center or a picnic area in an office complex, our long-lasting commercial patio furniture gives you exactly what you need.

SUPERIOR
RECREATIONAL PRODUCTS

FIVE THINGS THAT MAKE OUR SITE AMENITIES *SUPERIOR*

1- SHIPPING & DELIVERY LEAD TIME

- Most orders ship within 6- 8 weeks
- Quick Ship items ship within 5 -7 business days

2- SERVICE & EXPERIENCE

- Superior Site Amenities (formerly known as "Webcoat") has been manufacturing coated metal furnishings for 30 years
- Site Amenities team has over 60 years of industry experience combined

3- COATINGS

- Only manufacturer to use textured matte polyethylene on planking
- Textured poly repairs seamlessly in the field (no drip marks like plastisol)
- Textured poly hides scratches and imperfections in coating
- Weather-resistant and easy to maintain/clean
- 7 year warranty on textured poly
- Superdurable powder coat can be ordered on any bench/picnic table frame FREE OF CHARGE and without any change in shipping lead time
- 5 year warranty on powder coat

4- MADE IN THE USA


- All manufacturing takes place in Illinois
- All materials sourced from the United States


CUSTOM LOGOS FOR SITE AMENITIES


If you DREAM it, we will BUILD it!


SRP Site Amenities has advanced custom capabilities to add your organization's logo or text to amenities such as trash receptacles, benches, bike racks, and more!

- No set-up fee for standard font
- One-time logo set-up fee









SUPERIOR
RECREATIONAL PRODUCTS

COATINGS

Polyethylene (a powder) is placed in a fluidized vat where the product is heated, dipped and then baked. Our *textured matte* polyethylene coating helps hide the scratches and marks, while keeping the product looking better longer. Unlike plastisol, textured polyethylene leaves no drips on the product. This is the preferred coating of choice by most customers! It's easily repairable in the field using our poly repair kit and a hand-held heat gun. For graffiti, WD-40 can be sprayed onto the affected areas. Backed by 7 year warranty.

- Easily repaired
- Hard to the touch
- 13 standard colors
- No visible drip marks
- Textured matte finish
- Anti-fungal properties
- 1/8" coating thickness
- UV inhibitor in coating
- Coating applicable for indoor/outdoor settings

All SRP Site Amenities frames/understructures are coated with a highly durable polyester powder coat.

- 5-year warranty
- Touch-up kits available for repairs in the field
- Powder Coat Process:
  1. Steel is prepped via sandblasting
  2. Liquid primer applied to welds
  3. 3 Mils of Superdurable Powder Coat applied


**Note: powder coat colors offered may vary in shade when compared to components coated in textured matte polyethylene or plastisol- samples of all coatings available upon request.*

BLEACHERS


Our bleachers are manufactured from all-aluminum material and can be used in both indoor and outdoor settings.

BENEFITS


- They're all-aluminum, which is lightweight and will not rust
- Great for indoor or outdoor use
- Made in the USA
- Manufactured in accordance with the current building code requirements
- Certain models and quantities qualify for our Quick Ship Program
- Custom design capabilities and modifications are available



LOW RISE



NON-ELEVATED



ELEVATED

SUPERIOR
RECREATIONAL PRODUCTS

COATING CARE & MAINTENANCE & WARRANTY

TEXTURED POLYETHYLENE

Superior Site Amenities Textured Polyethylene (Thermoplastic) is environmentally safe. The coating will not fade, crack, peel, warp, or discolor for the life of the product. Thermoplastic is applied at a thickness of 30-40 mils. This allows maximum protection with the best possible surface. All of Superior's thermoplastic amenities have a textured matte finish once cured for extra durability. This type of coating starts out in a powder form leaving NO drip marks on the finished product. Thermoplastic can be easily repaired utilizing an industrial heat gun and patch kit to the affected area. This process allows the thermoplastic to melt and rebind itself while keeping maximum adhesion. The properties of thermoplastic also make spray painting difficult for vandals. Simply wash product with a standard industrial cleaner such as WD-40™ on a monthly basis to keep it looking like "NEW" year after year.

LIMITED WARRANTY

All SRP Site Amenities thermoplastic/PVC coated products have a limited warranty to the original purchaser of the products to be free of corrosion on seats and tops that results in bare metal exposure for a period of 5 years after the date of purchase, excluding any corrosion that may be the result of vandalism or intentional stripping of any of the coating.

Structural supports for tables and benches have a limited warranty to the original purchaser to be free of rust outs that would compromise structural integrity for a period of 5 years after date of purchase. Surface rust or cosmetic paint deterioration is excluded.

Products not listed above have a one year warranty on workmanship and materials when installed and maintained properly. Items not covered under warranty include acts of God, normal aging, weathering, and public abuse or vandalism. Claims for defects must be accompanied by copies of the original invoice or invoice number.



Superior®

2021 PRODUCT CATALOG

You Name It, We've Shaded It


At Superior Recreational Products (SRP), we provide you with standard and custom shade structures for nearly every outdoor location. Our line delivers creative solutions and unique designs for your biggest need — protection from the sun.

Serving Multiple Markets

We serve a variety of markets including parks and recreation, sport facilities, zoos, aquariums, hospitality, schools, and universities.

Our Top Features and Benefits

- **Block** up to 98% of **UV rays**
- **Reduce temperatures** up to 25°
- **UV stabilized fabric** to resist fading and unraveling
- **Frames withstand wind gusts** up to 150 mph
- Structures that **meet local building codes**
- **Glide Elbow™** fabric release mechanism



FEATURED PROJECT

The Westin Hilton Head Island Resort & Spa

Hilton Head Island, South Carolina

FEATURED PRODUCTS


1. 10' Cantilever Umbrella With Glide Elbow™, 6 Quantity


FEATURED COLORS


Iced Coffee Powder Coat Frame


Beige Traditional Fabric


Visit srpshade.com/inspirations to learn more about this project.














FEATURED PROJECT

Juan Tabo Hills

Albuquerque, New Mexico

FEATURED PRODUCTS


1 Triangular Sail Shade, 5 Sail Quantity


FEATURED COLORS


Iron Gray Powder Coat Frame


Cream, Midnight, Pearl, Silver, and Sunblaze Traditional Fabric


Visit srpshade.com/inspirations to learn more about this project.














FEATURED PROJECT

Ansin Sports Complex

Miramar, Florida

FEATURED PRODUCTS


1. Custom 261' x 37' Five-Dome Hip


FEATURED COLORS

White Powder Coat Frame


True Blue Traditional Fabric

Visit srpshade.com/inspirations to learn more about this project.














FEATURED PROJECT

Zoo Atlanta

Atlanta, Georgia

FEATURED PRODUCTS


1. 30' x 10' Two-Dome Arched Cantilever
2. 57' x 10' Two-Dome Arched Cantilever


FEATURED COLORS


Iced Coffee Powder Coat Frame


Beige Traditional Fabric


Visit srpshade.com/inspirations to learn more about this project.















Material Features

Fabric

- Made from UV stabilized high density polyethylene fabric that prevents fading from the sun
- Raschel-knitted to prevent fraying and shades 34' and larger receive Kevlar® reinforced corners
- Blocks up to 98% of harmful UV rays, depending upon color choice
- Fabric breathes allowing hot air to rise and escape
- Available fabric to meet California State Fire Marshal requirements, NFPA 701, and ASTM E84


Frames

- Engineered to withstand wind speeds up to 150 mph with fabric removed
- Structural tubing complies with ASTM standards
- Finished product includes 6 mils of powder coat, with 3 being zinc-rich primer and 3 being powder coat — all backed by 5,000 hours of testing per ASTM Method B117



Glide Elbow™

Our Glide Elbow™ quick release mechanism allows for easy installation and removal of your fabric — in the case of a fabric refresh or inclement weather. All you need is a wrench or cordless drill (with the right sized socket). What's more, metal-on-metal wear is minimized with our fabric hook connection. Our Glide Elbow™ is backed by a 1-year limited warranty.



Certified Fabricator/Products

- LADBS Certified Fabricator*
- City of Houston Registered Fabricator*

*Certificate available upon request.

Warranty

Superior Recreational Products (SRP) warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once SRP has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by SRP, good construction practices, general maintenance and care is provided as per instructions in the customer packet, and has been subjected only to normal use and exposure. Product should be maintained per the instructions given at time of delivery.

- **Lifetime* Warranty on stainless steel hardware**
- **20-Year Limited Warranty on framework**
- **10-Year Limited Warranty on fabric**
- **5-Year Limited Warranty on powder coat**
- **1-Year Limited Warranty on cables**
- **1-Year Limited Warranty on materials not above**

Pricing Policy

All prices are F.O.B. factor and do not include freight, installation, shipping, handling, surfacing, or applicable taxes. Prices are subject to change without notice.

Cancellation and Return Policy

To view our return policy, please visit superiorrecreationalproducts.com/returns.

Shipping Policy

To view our shipping policy, please visit superiorrecreationalproducts.com/shipping.

***To view our complete warranty, visit srpshade.com/srp-shade-warranty.**


Color Options

Superior Shade

Frames

Our powder coat is backed by a 5-year limited warranty.

Gloss




Matte, Textured & Metallic




Traditional Fabric

This selection of fabric colors are fire retardant and pass the NFPA 701 or ASTM E84 tests. All fabric colors are California Fire Marshal certified with the exception of those marked with an asterisk (these colors may not be used on a shade whose fabric spans larger than 2,000 square feet). Our traditional shade fabric is backed by a 10-year limited warranty.



Dual Shade Fabric

This selection of fabric colors is truly unique. Two different color yarns are combined to form a single dual colored fabric (with a top and bottom color) that produces a shimmery effect. This fabric is available for an upcharge for our Hypar Umbrella, Triangle Sail, and Hyperbolic Sail. Our dual shade fabric is backed by a 10-year limited warranty.



Superior
RECREATIONAL PRODUCTS

SHADE

BY SUPERIOR RECREATIONAL PRODUCTS

Shade Structure Material Specifications

FABRIC SPECIFICATIONS

- Shade fabric is made of UV stabilized cloth manufactured by ALNET or approved equal
- The high density polyethylene material shall be manufactured with tensioned fabric structures in mind
- The fabric knit is to be made using monofilament and tape filler which has a weight of 9.38 to 10.32 oz. sq. yd. Material to be Rachel-knitted to ensure material will not unravel if cut
- Cloth meets fire resistance tests as follows:
  - Alnet Extra Block: California State Fire Marshall Reg. #F-93501
  - Others: NFPA 701-99 (Test Method 2) and ASTM E-84

Fabric Properties

Stretch	Stentored
Tear Tests (lbs/ft)	WARP 44.8 WEFT 44
Burst Tests (lbs ft)	628 lbf (ASTM 3786)
Fabric Weight (oz/sqFT)	Avg 1.02 to 1.07 oz.
Fabric Width	9' 10"
Roll Length	150'
Roll Size	63" x 16 ½"
Weight	120 lbs.
Life Expectancy	10 Years
Fading	Minimum Fading After 6 years, 3 Years for Red and Yellow
Min. Temperature	-77°
Max. Temperature	+167°

Shade Protection and UV Screen Protection Factors

Color	Shade Cover	UVR Block Out
True Blue	93%	89%
Beige	97%	87%
Forest Green	96%	94%
Sun Blaze	94%	91%
Silver	95%	93%
Rivergum Green	95%	92%
Sky Blue	95%	94%
Navy Blue	96%	95%
Turquoise	94%	94%
Yellow	76%	94%
Cream	74%	92%

THREAD

- Shall be 100% expanded PTFE fiber that is high strength and low shrinkage
- Shall have a wide temperature and humidity range
- Abrasion resistant and UV radiation immunity
- Shall be unaffected by non-hydrocarbon based cleaning agents, acid rain, mildew, chlorine, saltwater, and pollution
- Lockstitch thread – 1200 Denier or equal
- Chain stitch thread – 2400 Denier or equal

STEEL TUBING

- All fabricated steel must be in accordance with approved shop drawings and calculations
- All steel is cleaned, degreased, or etched to ensure proper adhesion of Superdurable powder coat in accordance with manufacturer's specifications
- All Steel used on this project needs to be new and accompanied by the mill certificates if requested. Structural steel tubing up to 5"-7 gauge shall be galvanized per Allied Steel FLO-COAT specifications. Schedule 40 black pipe fabrications shall be sand-blasted and primed as described below
- All non-hollow structural shapes comply with ASTM A-36, unless otherwise noted
- All hollow structural steel shapes shall be cold formed HSS ASTM A-53 grade C, unless otherwise noted
- Plate products shall comply with ASTM A-36

SUPERDURABLE POWDER COATING & PRIMING

- All non-galvanized steel shade to be sand-blasted and primed prior to Superdurable powder coating using reclaimable blast media in a mixture of GL50 & GL80 Steel Grit
- All non-galvanized steel must be coated with rust inhibiting primer prior to applying the Superdurable powder coat. Primer shall be Marine Grade Cardinal Industrial Finishes Corp. E396-GR1372 epoxy Superdurable powder coating semi-gloss smooth zinc rich primer
- Welds shall be primed with rust inhibiting primer prior to applying the Superdurable powder coat. Primer shall be Marine Grade Cardinal Industrial Finishes Corp E396-GR1372 epoxy Superdurable powder coating semi-gloss smooth zinc rich primer
- All steel parts shall be coated for rust protection and finished with a minimum 3.5 mil thick UV-inhibited weather resistent Superdurable powder coating

Powder Coat Tests		Results
ASTM	Gloss at 60°	85-95
HOI TM 10.219	PCI Powder Smoothness	7
ASTM D2454-91	Over-Bake Resistance Time	200%
ASTM D3363-92A	Pencil Hardness	H-2H
ASTM D2794-93	Dir/Rev Impact, Gardner	140/140 in/lbs
ASTM D3359-95B	Adhesion, Cross Hatch	5B Pass
ASTM D522-93A	Flexibility Mandrel	¼" dia. No fracture
ASTM B117-95	Salt Spray	1,000 hours
UL DIOV2	Organic Coating Steel Enclosures, Elect Eq.	Recognized

Powder Coat Process Characteristics		
N.3.1	Specific Gravity	1.68+/-0.05
N.3.2	Theoretical Coverage	114+/- 4 ft 2/lb/mil
N.3.3	Mass Loss During Cure	<1%
N.3.4	Maximum Storage Temperature	75° F

Application Criteria		
N.5.1	Electrostatic Spray Cold	Substrate:0.032 in. CRS
N.5.2	Cure Schedule	10 minutes at 400° F
N.5.3	Pretreatment	Bonderite 1000
N.5.4	Film Thickness	3.5 Mils

WELDING

- All shop welds shall be executed in accordance with the latest edition of the American Welding Society Specifications
- Welding procedures shall comply in accordance with the AWS D1.1-AWS Structural Welding Code-Steel
- All welds to be performed by a certified welder. All welds shall be continuous where length is not given, unless otherwise shown or noted on drawings
- All welds shall develop the full strength of the weaker member. All welds shall be made using E70xx.035 wire
- Shop connections shall be welded unless noted otherwise. Field connections shall be indicated on the drawings. Field welded connections are not acceptable
- All fillet welds shall be a minimum of ¼" unless otherwise noted
- All steel shall be welded shut at terminations to prevent internal leakage
- Internal weld sleeving is not acceptable
- On-site welding of any component is not acceptable

SEWING

- On-site sewing of a fabric will not be accepted
- All corners shall be reinforced with extra non-tear cloth and strap to distribute the load
- The perimeters that contain the cables shall be double lock stitched

INSTALLATION HARDWARE

- Bolt and fastening hardware shall be determined based on calculated engineering loads
- All bolts shall comply with SAE-J429 (Grade 8) or ASTM A325 (Grade BD). All nuts shall comply with ASTM F-594, alloy Group 1 or 2
- Upon request, Stainless Steel hardware shall comply with ASTM A-304
- 1/4" galvanized wire rope shall be 7x19 strand with a breaking strength of 7,000 lbs. for shades generally under 575 sq. ft. unless requested larger by the customer. For shades over 575 sq. ft., cable shall be 5/16" with a breaking strength of 9,800 lbs. Upon request, 1/4" Stainless Steel wire rope shall be 7x19 strand with a breaking strength of 6,400 lbs. 5/16" Stainless Steel wire rope shall be 7/19 strand with a breaking strength of 9,000 lbs.
- All fittings required for proper securing of the cable are hot dipped galvanized

CONCRETE

- Concrete work shall be executed in accordance with the latest edition of American Concrete Building Code ACI 318 unless specified by the governing municipality
- Concrete specifications shall comply in accordance with, and detailed as, per plans as follows:
    1. 28 Days Strength F'c = 2500 psi
    2. Aggregate: HR
    3. Slump: 3-5
    4. Portland Cement shall conform to C-150
    5. Aggregate shall conform to ASTM C-33
- All reinforcement shall conform to ASTM A-615 grade 60

CONCRETE CONTINUED ON NEXT PAGE

- Reinforcing steel shall be detailed, fabricated and placed in accordance with the latest ACI Detailing Manual and manual of Standard Practice
- Whenever daily ambient temperatures are below 80° F, the contractor may have mix accelerators and hot water added at the batch plant (see table)
- The contractor shall not pour any concrete when daily ambient temperature is below 55° F

Concrete Temperate Chart

Temperature Range	% Accelerator	Type Accelerator
75-80°	1%	High Early (non calcium)
70-75°	2%	High Early (non calcium)
Below 70°	3%	High Early (non calcium)

FOOTINGS

- All anchor bolts set in new concrete shall be ASTM A-307, or ASTM F-1554 if specified by engineer
- All anchor bolts shall be zinc plated unless specified otherwise
- Footing shall be placed in accordance with and conform to engineered specifications and drawings

Shade Warranty

Superior Recreational Products (SRP) warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once SRP has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by SRP, good construction practices, and has been subjected only to normal use and exposure.

- Lifetime* Warranty on stainless steel hardware
- 20-Year Limited Warranty on steel shade structures
- 10-Year Limited Warranty on shade fabric
- 5-Year Limited Warranty on cables and powder coat
- 1-Year Limited Warranty on moving parts and materials not covered above

The Limited Warranty excludes abnormal conditions, contingent liability, cosmetic defects such as scratches, dents, marring, stripping, peeling, or fading; damage due to incorrect installation, vandalism, misuse, accident wear and tear from normal use; exposure to extreme weather, immersion in salt or chlorine water, damage due to sand, salt spray, or other abrasive and corrosive material; unauthorized repair or modification, abnormal use, or lack of maintenance. The warranty does not cover damages due to "acts of God" such as hail, flooding, lightning, tornadoes, sand storms, shifts of terrain, earthquakes, mudslides, and windstorms.

SRP does not warrant product for defects caused by erection, harsh site conditions, lack of maintenance, and/or other conditions beyond SRP's control. SRP will not be held responsible for any materials that were not properly stored prior to installation. SRP reserves the right to voic the limited warranty if it not installed per the installation instructions and/or unauthorized modifications.

In the unlikely event of failure, SRP reserves the right to alter the design, color, or contributing factors to rectify the condition and help prevent any future reoccurrence(s). SRP has the option to repair or replace any defect in materials.

The warranty is void if any changes, modifications, additions, or attachments are made to the product without the written consent of the manufacturer.

No signs, objects, ornaments, fans, lights, fixtures, or decorations may be hung from the structure unless specifically designed and engineered by the manufacturer or has manufacturers written approval.

SRP excludes any implied warranty of merchantability, fitness, or purpose, and there are no warranties which extend beyond the description of the face hereof. Under no circumstances will SRP be responsible for any indirect, special, consequential, incidental, or liquidated damages due to breach of warranty and such damages are specifically excluded from the warranty.

The owner shall notify SRP with original Sales Order Number issued from SRP to arrange for an inspection within 30 days after discovery of any defect under this warranty and before any alteration or repair is made or attempted. This Limited Warranty shall be null and void if the owner makes any alterations in design.

This warranty is the only express warranty given by the company. No person has authority to change or add to these obligations and liabilities. The company reserves the right to determine whether the fault is caused by faulty workmanship, material, or the part that is defective.

SRP will repair or replace at its discretion any defective part/s on an Ex-Works basis only. It is the responsibility of the customer to return the whole unit or the defective part/s at their own cost back to SRP for inspection along with proof of the date of purchase. SRP will not be liable for any costs incurred by the customer as a result of replacing the defective part/s, including but not limited to the costs of site visits and the labor costs involved with the removal and reinstallation of the whole unit or the defective part/s. Furthermore SRP will not be liable for any claimed compensation while the unit is not working or not present at the site whatsoever. This guarantee does not entitle the customer to a complete new product due to a defective component.

LIMITED WARRANTY: STRUCTURAL STEEL

SRP offers a 20-year Limited Warranty on structural steel frames for shade canopies against failure due to rust-through corrosion under normal environmental conditions. Should the fabric or parts need to be replaced under the warranty, SRP will manufacture and ship new replacement parts at no charge for the first ten years, thereafter pro-rated at 10% per annum over the last ten years.

Workmanship is warranted for a period of five years. This steel warranty shall be void if damage to the steel is caused by the installer or from physical damage, damage by salt spray or sprinkler systems, contact with chemicals, chlorine, pollution, misuse, vandalism, or any act of God.

LIMITED WARRANTY: POWDER COAT

Superior Recreational Products offers a 5-year Limited Warranty for powder coating to the original purchaser. This Limited Warranty is for factory applied finish only. Damage occurring from shipping, erection, vandalism, accidents, or field modification is not covered in this limited warranty and will require field touch-up immediately and periodically thereafter. The owner must report any defect in powder coat at the time the installation is completed. Not covered by this Limited Warranty are acute angles, welds, and end plates.

The Limited Warranty for powder coating provides the following after a 5-year exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized.

- The coatings shall retain their original color with a ΔE of <7.5 units for high chroma colors (yellows, reds, oranges, etc.) and a ΔE of<5.0 units for low chroma colors, when tested in accordance with ASTM D 2244.
- The coating shall retain a minimum of 50% of its original gloss level after washing, when tested in accordance with ASTM D 523.
- The coating shall exhibit chalking no worse than numerical rating of 6, when evaluated in accordance with ASTM D 659-80.

SHADE FABRIC

Traditional shade fabric made with PTFE fiber that is high strength and low shrinkage and VALMEX® MEHATOP F 1 waterproof fabric, carries a 10-year limited warranty. This warranties that the sewing thread used on the traditional shade fabric will be free from defects in material and workmanship and will not be damaged by exposure to sunlight, weather, and water. All other warranties are disclaimed.

SRP fabrics carry a 10-Year Limited Manufacturer's Warranty from the date of delivery against failure from significant fading**, deterioration, breakdown, outdoor heat, cold, or discoloration. Should the fabric need to be replaced under the warranty, SRP will manufacture and ship new fabric at no charge for the first six years, thereafter pro-rated at 18% per annum over the last four years.

**The colors red and yellow are warranted against significant fading for only two years. If the corners of the fabric are equipped with both holes in the fabric corner PLUS reinforcing straps, BOTH the strap and fabric hole must be placed over each corner hook or the fabric warranty is void.

Fabric curtains, valences, or flat vertical panels are not covered under the warranty.

Fabric is not warranted where it is installed on a structure that is not engineered and built by SRP or its agents.

This warranty shall be void if damage to or failure to the shade is caused by contact with chemicals, chlorine, bleaching agents, hydrocarbons or hydrocarbon containing solvents, misuse, vandalism, or any act of God, including but not limited to wind in excess of the wind limitations set forth below.

All fabric tops are warranted for sustained winds up to 75mph (Hurricane Force 1) and for gusts of up to 3 seconds duration up to 90mph. Removal of the shade fabric is required if damaging winds are called for. Damage due to snow and/or ice accumulation is not covered by this warranty. Canopies should be removed during the "off season."

These structures have been designed to eliminate any friction between the rafters and the fabric. The warranty will, therefore, be voided if any modification (temporary or permanent) is made to the rafter, cross pieces, or ridge beams, or if the fastening apparatus or canopy are not secured accordingly.

Structures are warranted for winds up to 90 or 105 mph only if shade canopies have been removed as per requirement set forth above in the fabric paragraph. Removal and re-installation must be performed by a qualified person or authorized dealer.

ALUMINUM AND STEEL FRAME WATERPROOF UMBRELLAS

Although all aluminum and steel frame waterproof umbrellas are designed to withstand high wind speeds and have been engineered/tested in wind speeds which exceed 70 mph, SRP does not recommend or warrant the deployment or use of any collapsible umbrella in wind conditions which exceed 45 mph unless where specifically designated and approved in writing by qualified SRP engineers. Horizon umbrellas outfitted with SRP's additional bracing supports will be warranted for wind conditions up to 60 mph and 3-second wind gusts. SRP's warranty will only cover umbrellas that have been properly secured (installed according to manufacturer's installation instructions with a level canopy and plum column) to an approved footer or other approved mounting system. SRP recommends that all retractable umbrellas be securely closed when not in use.

SRP's Cabanas are designed to withstand high wind speeds and have been engineered/tested in wind speeds which exceed 90 mph. However, SRP does not recommend the use of any Cabana in wind conditions which exceed 75 MPH unless where specifically designated and approved in writing by qualified SRP engineers. SRP's warranty will only cover Cabanas that have been properly secured to an approved footer or other mounting system.

WATERPROOF HYPAR, WAVECREST, PANORAMA, AND CUSTOM STRUCTURES

SRP's fixed waterproof structures are warranted for sustained winds up to 76 mph (Hurricane Force 1) and for gusts of up to 3 seconds duration and up to 90 mph. Removal of the shade fabric is required if damaging winds are called for. Damage due to snow and/or ice accumulation is not covered by this warranty. Canopies should be removed during the "off season." SRP will only warranty products which are properly secured to a footer according to engineering drawings or approved anchoring system.

Further, SRP will not cover any damage to any umbrella frame, canopy, shade, or base device which occurs as a result of contact with the ground or any other foreign object including damage which occurs as a result of sudden and severe weather events or other extreme acts of nature.

Please contact SRP directly if requesting products and mounting foundations to be warranted in sustained wind conditions which exceed the stated warranties per each model.

PRICING POLICY

All prices are F.O.B. factor and do not include freight, installation, shipping and handling, surfacing, or applicable taxes. All prices listed were current at the time of printing and in U.S. currency. Prices are subject to change without notice.

CANCELLATION AND RETURN POLICY

To view our return policy, please visit superiorrecreationalproducts.com/returns. For information on Return Material Authorizations please call 1.800.327.8774.

SHIPPING POLICY

To view our shipping policy, please visit superiorrecreationalproducts.com/shipping. For any further information please call 1.800.327.8774.

*For the purpose of this warranty, lifetime encompasses no specific term of years, but rather that seller warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all parts will be free from defects in materials and manufacturing workmanship. This warranty does not cover damage caused by vandalism, misuse or abuse, altered or modified parts, or cosmetic damage such as scratches, dents, or fading or weathering and normal wear and tear. This warranty is valid only if the structures are installed in conformity with instructions provided by Superior Recreational Products using approved Superior Recreational Products parts. Superior Recreational Products will deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the labor costs of replacement. Warranty claims must be filed within the applicable warranty period and accompanied by a sales order or invoice number.

Appendix

Proper Care, Maintenance, and Safe Removal of the Shade Canopy

AVOID

SNOW, ICE, AND HIGH WINDS: Remove the canopy in winter conditions as ice and snow loads are not covered by the warranty. The same goes for winds in excess of hurricane force 1.

SHARP OBJECTS: Always avoid dragging the fabric across surfaces, etc. Roll or fold the fabric and carry it. Avoid sharp objects, bolts, snags, and other protrusions including mounting hardware.

OBSTRUCTIONS: Keep foliage, such as tree limbs, shrubbery, and bushes, trimmed back and away from fabric at least three to four feet.

SOURCES OF HEAT: Avoid contact with heat sources such as hot lights, torches, and avoid using grills, etc. under the fabric.

CLEANING THE FABRIC

The fabric itself is generally maintenance free with the exception of necessary removal due to weather or seasonal requirements. The fabric does not harbor mildew or mold, but residues such as tree sap, leaves, bird droppings, dust and dirt may need to be removed. To clean the fabric, use water and mild soap. A soft mop or soft broom may also be used. Cleaners that do not contain hydrocarbons, solvents, bleach or ammonia may be used. Use of solvents, hydrocarbons, bleach, and ammonia type cleaners will void the fabric warranty. A pressure washer may be used if necessary using a wide-spray nozzle.

CABLES AND HARDWARE

It is recommended that the cables be replaced every 3 to 4 years or if corrosion is visible, whichever comes first. The cable ends must be wrapped with tape to secure any wires; thus, preventing the wires from tearing the fabric. Taping must be done when removing old cable as well as when installing new cable. Clamps should be replaced when the cable is replaced. If the cable appears slack on a still day (no wind), immediately have the cable and clamps re-tightened by a qualified person. The cable should not be slack.

GLIDE ELBOW™

Lubricate Glide Elbows™ annually and before operating. A waterproof grease is recommended such as a lithium-based grease or anti-seize thread lubricant.

STORAGE

Fabric must be stored in a clean, dry place free from snags, sharp edges, etcetera. The storage area must be rodent-free. Wrap all hardware fittings with rags or some other protector, as they can damage the fabric.

UNINSTALLING THE SHADE CANOPY

NECESSARY CARE: It is important to take necessary care when handling the fabric during removal and installation to prevent damage to the fabric as well as SAFE control of the fabric in a breeze or wind. The fabric is tough and engineered for use as a shade, but it can tear or cut when or if pulled over a snag or sharp item; it can puncture from bolts or other protruding objects; and it can melt from objects such as like cigarettes, matches, hot torch tips, sparks and the like. In addition, care must be exercised to avoid the fabric hooks after the fabric is unhooked from the elbow corners and sides of the structure where there are intermediate supports. It is best to wrap any connected mounting hardware to prevent it from harming the fabric.

PROPER AND SAFE: Based on the size of the canopy, several persons may be needed to properly and safely handle the fabric during the uninstalling process. You will need several commercial ladders or other means to work safely at heights such as scissor lifts, etc. It is advised that you pad the post side of the ladder and tie the ladder to the post. The pad is to protect the post finish. Also keep in mind that every 100 square feet of fabric (10' X 10') weighs approximately five pounds; a large canopy can get heavy fast. For proper control of the fabric, read below. It is best to remove the fabric on a still day. Do not attempt to remove the canopy in strong or gusty winds.

REMOVAL OF THE CANOPY: Do not attempt to remove the canopy in strong or gusty winds.

STANDARD ELBOWS: For shade structures with Standard Elbows, loosen the turnbuckle several turns in order to put enough slack in the cable to allow the fabric and cable to unhook from all the elbow hooks. Attach 3/8" or larger ropes to each corner of the fabric and cable before unhooking to secure and properly control the fabric from ground level. If uninstalling in breezy conditions, choose the windy side of the fabric and tie these corners to the posts with the ropes with enough slack to allow for unhooking the fabric from the structure. These ropes are to prevent the shade from flying away in the breeze and to help prevent injury to ground personnel. Once the corners have been secured to the posts, unhook the fabric and cables from each corner.

On the side away from the wind, release the corners of the fabric and cable and have a person hold on to each rope. It may help to wrap the rope around a column to help hold it from getting caught in the wind. Fold the fabric back away from the hooks. Now it will be necessary to remove the cable clamps to allow the cable to be free from the structure and the turnbuckle. If the cable ends are frayed, wrap them with tape. It is usually not necessary nor is it recommended that the cable be removed from the canopy. With a person on each rope, starting at the windy side, gently pull the canopy down in between the framework of the structure. The side away from the wind can be guided with the ropes toward the persons pulling the canopy down.
It is important when reinstalling the canopy, that it is put back in its original orientation to the structure. Starting at the turnbuckle corner, the fabric and cable corners should be returned to their original positions.

GLIDE ELBOWS: For shade structures with Glide Elbows, remove the protective covers from the ends of the glide elbows. Then, using the proper wrench, turn the hex nuts on the end of the Glide Elbow to run the glide hooks to their top most position. Do no loosen the cable clamps, leave the cable intact. Attach 3/8" ropes to each corner of the fabric and cable before unhooking to secure and properly control the fabric from ground level. If uninstalling in breezy conditions, choose the windy side of the fabric and tie these corners to the posts with the ropes with enough slack to allow for unhooking the fabric from the structure. These ropes are to prevent the shade from flying away in the wind and to help prevent injury to ground personnel. Once the corners have been secured to the posts, unhook the fabric and cables. On the side away from the wind, release the corners of the fabric and cable and have a person hold on to each rope. Fold the fabric back away from the hooks. It is a good idea to put the Glide Elbow protective covers back in place. With Glide Elbow installations it is not necessary to loosen or remove the cable clamps nor to remove the cable from the canopy. If the cable ends are frayed, wrap them with tape.
When uninstalling the canopy, mark or identify the corner of origin in such a way that when reinstalling the canopy, it is put back in its original orientation to the structure. The fabric and cable corners should be returned to their original positions when reinstalling the canopy. The cable and fabric should tighten properly when the glide elbows are adjusted down into their tension positions.

SHADE SAILS WITH FANS: For shade sails equipped with fans, loosen the adjustable threaded rod several turns in order to put enough slack in the cable to allow the shackle pin to be removed (do not remove the pins until the fabric corners have been secured with ropes). Attach 3/8" or larger ropes to each corner of the fabric and fan before unhooking to secure and properly

control the fabric from ground level. If uninstalling in breezy conditions, choose the windy side of the fabric and tie these corners to the posts with the ropes with enough slack to allow for unhooking the shackle from the structure. These ropes are to prevent the shade from flying away in the breeze and to help prevent injury to ground personnel. Once the corners have been secured to the posts, unhook the shackles and lower the fabric and cable to the ground.

REINSTALLING HINTS

Using the same rope technique, install from the windy side (if it is breezy) making sure to secure these ropes to the posts. Then, throw the remaining corner ropes over the structure and gently pull the canopy into position. The cables and fabric corners can now be fastened on the hooks (and cable guides if so equipped). Next reinstall the clamps if applicable and tightened the cable with the turnbuckle or the Glide Elbows. Do not attempt to install the canopy in strong or gusty winds.

PROPOSAL

LESTER CONTRACTING, INC. , hereinafter called "BIDDER",
(Legal Firm Name)

is submitting this Proposal for Furnishing and Performing the Work specified herein as the

INFRASTRUCTURE AT LITTLE CHOCOLATE BAYOU COUNTY PARK – PLAYGROUND IMPROVEMENTS FOR CALHOUN COUNTY, TEXAS - TEXAS GENERAL LAND OFFICE CONTRACT NO. 20-065-064-C182 AND CALHOUN COUNTY 2020 CDBG-DR CONTRACT WORK ORDER NO. E-1.

This PROPOSAL is Submitted to the **COUNTY OF CALHOUN**, hereinafter called "OWNER".

1. Terms used in this PROPOSAL are defined in the General Conditions or Document No. 00120 - Instructions to Bidders and shall have the meanings indicated in the General Conditions or Instructions.

2. BIDDER proposes and agrees, if this BID is accepted, to enter into an Agreement with OWNER in the form included in the Contract Documents to furnish and perform all Work as specified or indicated in the Contract Documents for the Bid Price and within the Bid Times indicated in this BID and in accordance with the other terms and conditions of the Contract Documents.

3. BIDDER accepts all of the terms and conditions of the Advertisement or Invitation to Bid and Instructions to Bidders, including without limitation those dealing with the disposition of Bid Security. This BID will remain subject to acceptance for Sixty (60) Calendar Days after the Bid Opening. **BIDDER shall sign and deliver the required number of counterparts of the Agreement, including all required documents indicated by the Bidding Requirements, within Fifteen (15) Working Days after the date of OWNER's Notice of Award.**

4. In submitting this BID, BIDDER represents, as more fully set forth in the Agreement, that:

   a. BIDDER has examined and carefully studied the Bidding Documents and the following Addenda, receipt of all which is hereby acknowledged: (List Addenda by Addendum Number and Date):

Addendum No.:	1			
Date Received:	6/9/2021			

   b. BIDDER has visited the site and is familiar and satisfied with the general, local and site conditions that may affect cost, progress, and furnishing and performing the Work.

   c. BIDDER is familiar and satisfied with all federal, state and local Laws and Regulations that may affect cost, progress, and furnishing and performing the Work.